

**Fishery Management Report No. 06-18**

---

---

**Kodiak Management Area Herring Sac Roe Fishery  
Harvest Strategy, for the 2006 Season**

by

**Dennis Gretsch,**

**Geoff Spalinger,**

and

**Joe Dinnocenzo**

March 2006

---

---

Alaska Department of Fish and Game

Divisions of Sport Fish and Commercial Fisheries



## Symbols and Abbreviations

The following symbols and abbreviations, and others approved for the Système International d'Unités (SI), are used without definition in the following reports by the Divisions of Sport Fish and of Commercial Fisheries: Fishery Manuscripts, Fishery Data Series Reports, Fishery Management Reports, and Special Publications. All others, including deviations from definitions listed below, are noted in the text at first mention, as well as in the titles or footnotes of tables, and in figure or figure captions.

<b>Weights and measures (metric)</b>		<b>General</b>		<b>Measures (fisheries)</b>	
centimeter	cm	Alaska Administrative Code	AAC	fork length	FL
deciliter	dL			mid-eye-to-fork	MEF
gram	g	all commonly accepted abbreviations	e.g., Mr., Mrs., AM, PM, etc.	mid-eye-to-tail-fork	METF
hectare	ha			standard length	SL
kilogram	kg	all commonly accepted		total length	TL
kilometer	km				
liter	L	professional titles	e.g., Dr., Ph.D., R.N., etc.		
meter	m			<b>Mathematics, statistics</b>	
milliliter	mL	at	@	<i>all standard mathematical signs, symbols and abbreviations</i>	
millimeter	mm	compass directions:		alternate hypothesis	H <sub>A</sub>
		east	E	base of natural logarithm	<i>e</i>
		north	N	catch per unit effort	CPUE
<b>Weights and measures (English)</b>		south	S	coefficient of variation	CV
cubic feet per second	ft <sup>3</sup> /s	west	W	common test statistics	(F, t, $\chi^2$ , etc.)
foot	ft	copyright	©	confidence interval	CI
gallon	gal	corporate suffixes:		correlation coefficient (multiple)	R
inch	in	Company	Co.	correlation coefficient (simple)	r
mile	mi	Corporation	Corp.	covariance	cov
nautical mile	nmi	Incorporated	Inc.	degree (angular)	°
ounce	oz	Limited	Ltd.	degrees of freedom	df
pound	lb	District of Columbia	D.C.	expected value	<i>E</i>
quart	qt	et alii (and others)	et al.	greater than	>
yard	yd	et cetera (and so forth)	etc.	greater than or equal to	≥
		exempli gratia	e.g.	harvest per unit effort	HPUE
<b>Time and temperature</b>		(for example)		less than	<
day	d	Federal Information Code	FIC	less than or equal to	≤
degrees Celsius	°C	id est (that is)	i.e.	logarithm (natural)	ln
degrees Fahrenheit	°F	latitude or longitude	lat. or long.	logarithm (base 10)	log
degrees kelvin	K	monetary symbols		logarithm (specify base)	log <sub>2</sub> , etc.
hour	h	(U.S.)	\$. ¢	minute (angular)	'
hour	h	months (tables and figures): first three letters	Jan,...,Dec	not significant	NS
minute	min	registered trademark	®	null hypothesis	H <sub>0</sub>
second	s	trademark	™	percent	%
		United States (adjective)	U.S.	probability	P
<b>Physics and chemistry</b>		United States of America (noun)	USA	probability of a type I error (rejection of the null hypothesis when true)	$\alpha$
all atomic symbols		U.S.C.	United States Code	probability of a type II error (acceptance of the null hypothesis when false)	$\beta$
alternating current	AC	U.S. state	use two-letter abbreviations (e.g., AK, WA)	second (angular)	"
ampere	A			standard deviation	SD
calorie	cal			standard error	SE
direct current	DC			variance	
hertz	Hz			population	Var
horsepower	hp			sample	var
hydrogen ion activity (negative log of)	pH				
parts per million	ppm				
parts per thousand	ppt, ‰				
volts	V				
watts	W				

***FISHERY MANAGEMENT REPORT NO. 06-18***

**KODIAK MANAGEMENT AREA HERRING SAC ROE FISHERY  
HARVEST STRATEGY, FOR THE 2006 SEASON**

by

Dennis Gretsch,  
Geoff Spalinger,  
and

Joe Dinnocenzo

*Division of Commercial Fisheries, Kodiak*

March 2006

Alaska Department of Fish and Game  
Division of Sport Fish, Research and Technical Services  
333 Raspberry Road, Anchorage, Alaska, 99518-1599

The Division of Sport Fish Fishery Management Reports series was established in 1989 for the publication of an overview of Division of Sport Fish management activities and goals in a specific geographic area. Since 2004, the Division of Commercial Fisheries has also used the Fishery Management Report series. Fishery Management Reports are intended for fishery and other technical professionals, as well as lay persons. Fishery Management Reports are available through the Alaska State Library and on the Internet: <http://www.sf.adfg.state.ak.us/statewide/divreports/html/intersearch.cfm>. This publication has undergone regional peer review.

*Dennis Gretsch,  
Geoff Spalinger,  
and  
Joe Dinnocenzo*

*Alaska Department of Fish and Game, Division of Commercial Fisheries,  
211 Mission Road, Kodiak, Alaska 99615, USA*

*This document should be cited as:*

*Gretsch, D., G. Spalinger, and J. Dinnocenzo. 2006. Kodiak management area herring sac roe fishery harvest strategy, for the 2006 season. Alaska Department of Fish and Game, Fishery Management Report No. 06-18, Anchorage.*

The Alaska Department of Fish and Game administers all programs and activities free from discrimination based on race, color, national origin, age, sex, religion, marital status, pregnancy, parenthood, or disability. The department administers all programs and activities in compliance with Title VI of the Civil Rights Act of 1964, Section 504 of the Rehabilitation Act of 1973, Title II of the Americans with Disabilities Act of 1990, the Age Discrimination Act of 1975, and Title IX of the Education Amendments of 1972.

If you believe you have been discriminated against in any program, activity, or facility, or if you desire further information please write to ADF&G, P.O. Box 25526, Juneau, AK 99802-5526; U.S. Fish and Wildlife Service, 4040 N. Fairfax Drive, Suite 300 Webb, Arlington, VA 22203 or O.E.O., U.S. Department of the Interior, Washington DC 20240.

For information on alternative formats for this and other department publications, please contact the department ADA Coordinator at (voice) 907-465-6077, (TDD) 907-465-3646, or (FAX) 907-465-6078.

# TABLE OF CONTENTS

	<b>Page</b>
LIST OF TABLES.....	ii
LIST OF FIGURES.....	ii
ABSTRACT.....	1
INTRODUCTION.....	1
2006 HARVEST STRATEGY.....	2
Guideline Harvest Levels.....	2
Section Assignments.....	2
Fishing Periods.....	3
Standard Daily Fishing Periods for Most Purse Seine and Gillnet Sections.....	3
Emergency Order Fishing Areas and Management for Enhanced Value.....	4
Test Fishing.....	5
Village Islands/Uganik Bays Section Management.....	5
Inner Uyak Bay Section Management.....	6
Alitak District Changes in Section Descriptions and Management.....	6
ADF&G AND INDUSTRY COOPERATION.....	7
CATCH REPORTING FOR BUYERS AND TENDERS.....	8
Registration Permit.....	8
Permit Holder Registration.....	8
EMERGENCY ORDER ANNOUNCEMENTS.....	8
HERRING TEST FISHERY PROGRAM.....	9
TABLES AND FIGURES.....	11

## LIST OF TABLES

<b>Table</b>	<b>Page</b>
1. Historical harvest data for the commercial herring sac roe and food/bait fisheries and percent of the total annual herring harvest that occurs by fishery, Kodiak Management Area, 1964 to 2005.....	12
2. Herring sac roe fishery summary of season length, guideline harvest levels (GHL), harvest data by gear type, percentage of harvest by gear type, number of landings, and estimated exvessel earnings, Kodiak Management Area, 1979 to 2005. ....	13
3. List of districts and management sections, guideline harvest levels (GHLs), closed sections, and district allocation percentages for the herring sac roe fishery, Kodiak Management Area, 2006. ....	14
4. Alaska statewide average sac roe herring harvest for 2001 to 2005 and preliminary 2006 harvest projections. ....	17
5. Alaska Department of Fish and Game, Division of Commercial Fisheries management staff, Kodiak Management Area, 2006. ....	18

## LIST OF FIGURES

<b>Figure</b>	<b>Page</b>
1. Map of the Kodiak herring sac roe fishery by harvest areas. ....	19
2. Map showing the section boundary lines that will be in effect for the Alitak District in 2006. ....	20

## ABSTRACT

This report presents information concerning how the Alaska Department of Fish and Game (ADF&G) will manage the 2006 Kodiak Management Area (KMA) commercial Pacific herring *Clupea pallasii* sac roe fishery. This report also presents the guideline harvest levels (GHLs) by section, management changes from previous years, reporting and registration requirements.

The 2006 KMA areawide GHL is 3,705 tons and GHLs have been established for 36 sections. The areawide GHL is divided by gear type due to a regulatory allocative management plan (5AAC 27.535). The purse seine GHL is 2,745 tons (74.1% of the areawide GHL) and the gillnet GHL is 960 tons (25.9% of the areawide GHL). Regulation changes in 2005 allow both gear types to fish the same section when allocation objectives can not be met by having separate gear areas. In 2006, the Village Islands/Uganik Bays Section will be the only area open to both gear types.

In 2006, the fisheries in the Village Islands/Uganik Bays and the Inner Uyak Bay Sections will be managed to enhance the value of the landed product and control harvest rates. Fishing periods will be established by emergency order, herring will be sampled by purse seine test sets, and time and area restrictions may be used to target these fisheries on herring of the largest size and highest roe content. To prevent gear conflicts and ease management of the fisheries where both gear types have an allocation, fishing will occur by each gear type on alternating days.

Key Words: Sac roe, herring, *Clupea pallasii*, Kodiak, guideline harvest levels

## INTRODUCTION

Pacific herring *Clupea pallasii* have been commercially harvested each spring for their sac roe since 1964 in the Kodiak Management Area (KMA; Table 1). This fishery was open-to-entry from 1964 to 1980. The fishery then was under a moratorium to new entries from 1981 to 1984 and finally was designated a limited entry fishery in 1985. Gear for this fishery includes purse seines (81 permits) and gillnets (101 permits). The historical permit activity has been low and continues to decline. An average of 37 purse seine and 21 gillnet permit holders made landings from 1996 to 2005, and 31 purse seine and 11 gillnet permit holders made landings from 2001 to 2005 (Table 2).

The KMA is divided into 13 districts that define geographical areas used in managing the herring sac roe fishery (Figure 1; Table 3). Each district is further divided into smaller areas called sections. There are a total of 82 sections in the KMA. Sections are intended to define the spawning area used by a stock of herring or to define a geographical harvest location. Since 1979, herring have been harvested within 63 sections. Current statistical charts, which illustrate districts and sections, are available at the Alaska Department of Fish and Game (ADF&G) office in Kodiak.

Guideline Harvest Levels (GHLs), or the desired level of harvest within each section (harvest projection), are established by ADF&G fishery management biologists in Kodiak each year (Table 3). After an annual review of stock status trends for the entire KMA, the department determines which sections will be open to commercial fishing and what level of harvest will be targeted. Each section's GHL is set based on: 1) fishery performance during the preceding season or seasons (e.g., total harvest, timing, duration of fishery, average school size), 2) trends in age composition, 3) spawn and juvenile herring observations, 4) aerial surveys, and 5) hydroacoustic surveys. Input from commercial fishermen and spotter pilots are relied on as well.

Since 1979, GHLs have ranged from 1,495 tons (1999) to 4,550 tons (1994; Table 2). GHLs are not guaranteed quotas, and actual harvests may be more or less than these projections. The recent 10-year average harvest (1996 to 2005) was 2,369 tons (range: 1,370 to 3,463 tons; Table 2).

In 2000, an allocative harvest strategy was implemented by the Alaska Board of Fisheries (BOF) to provide opportunities for gillnet permit holders to harvest approximately 25% of the total preseason GHL and purse seine permit holders to harvest approximately 75% of the total preseason GHL (5AAC 27.535 (e)). With few exceptions, this is accomplished by either assigning sections to only purse seine or only gillnets. For each district the sum of all purse seine section GHLs should be 70% to 80% of the areawide GHL and the sum of all gillnet section GHLs should be 20% to 30% of the areawide GHL (5AAC 27.535 (e)(2)(D)). Assignment of a section to a particular gear type is based on: 1) the estimated biomass and age composition of the stock(s) found within a section, 2) historical harvest by gear from that section, 3) historical harvest timing, 4) fishery manageability concerns, and 5) the mathematics of the allocation percentages. Input from fishery participants is solicited prior to final section assignments.

The 2005 fishery GHL was 3,475 tons, and 32 purse seine and 12 gillnet permit holders participated, harvesting 3,463 tons of herring. Purse seine gear harvested 2,932 tons (85% of the total harvest) and gillnet gear harvested 531 tons (15% of the total harvest), with a total exvessel value of approximately \$1,731,500 dollars (Table 2).

The ADF&G Commercial Fisheries Division staff in Kodiak will manage the 2006 Kodiak herring sac roe fishery. The Kodiak herring sac roe fishery is intended to occur in an orderly fashion, with minimal waste of resource and within conservation limits as determined by the department, while striving for the highest quality product (5AAC 27.535. (e)(6)). In addition, the fishery will be managed in accordance with general statewide herring guideline harvest policies, which provide for catches in traditional inshore areas, management for the greatest value, and exploitation (harvest) not to exceed 20% of the available spawning biomass. This report presents the harvest strategy for the 2006 KMA herring sac roe fishery, including the GHLs by section, section assignment by gear, changes in management, reporting, and registration requirements for the 2006 fishery.

## **2006 HARVEST STRATEGY**

### **GUIDELINE HARVEST LEVELS**

For the 2006 season, GHLs have been established for 36 sections (Table 3). A total of 15 sections had little or no harvest during the last 10 years and are designated as exploratory in 2006 (exploratory areas are open to both gear types and have no set GHL). The remaining 32 sections will remain closed, based on either low stock abundance or no records of herring sac roe harvests.

The 2006 GHL is 3,705 tons (Table 3), an increase of about 6.6% from the 2005 GHL (3,475; Table 2), which represents approximately 7% of the statewide herring sac roe projected harvest of 50,500 tons (Table 4).

### **SECTION ASSIGNMENTS**

In 2006, based on BOF changes in 2005 to the regulations governing the KMA herring fisheries, adjacent sections may be combined and managed as a single section (5AAC 27.535. (e)(1)(A)). The following sections will be combined and managed as single units in 2006:

- Izhut Bay, Kitoi Bay, and MacDonald Lagoon
- Village Islands, Northeast Arm Uganik, East Arm Uganik, and South Arm Uganik

Also, based on BOF regulations, both purse seine and gillnet gear may be assigned to fish within the same section, in order to achieve the allocative split by gear type within a district (5 AAC 27.535. (e)(2)(A)).

- Only the combined Village Islands/Uganik Bay Sections will be opened to both gear types in 2006, with each gear type assigned a portion of the GHL.

The remaining sections are assigned as follows:

<u>Purse Seine Only</u>	<u>Gillnet Only</u>	<u>Exploratory (both gear)</u>
Danger Bay	Malina Bay	Perenosa Bay
Tonki Bay	Izhut/Kitoi/MacDonald	Blue Fox/Devils Inlet
Inner Uyak Bay	Viekoda Bay	Geese/Two Headed
Inner Alitak <sup>a</sup>	Terror Bay	Kaiugnak Bay
Inner Deadman Bay	West Uganik Passage	SW. Sitkalidak Strait
Outer Deadman Bay	Browns Lagoon	Three Saints Bay
N.Upper Olga Bay <sup>a</sup>	Spiridon Bay	Newman Bay
Upper Olga Bay <sup>a</sup>	Zachar Bay	Tanginak Anchorage
West Sitkalidak Strait	Sulua Bay <sup>a</sup>	Inner Kukak Bay
Barling Bay	Shearwater Bay	Inner Katmai Bay
East Sitkalidak Strait	Inner Kiliuda Bay	Alinchak Bay
Outer Kiliuda Bay	Outer Uyak Bay	Puale Bay
Inner Uyak Bay	Womens Bay	Portage and Outer Portage Bay
Kizhuyak Bay	Anton Larsen Bay	Wide Bay
	Sharatin Bay	

<sup>a</sup> Section lines will be changed by emergency order for the 2006 season (Figure 2).

Of the total GHL, 2,745 tons (74.1%) is assigned to purse seine permit holders and 960 tons (25.9%) is assigned to gillnet permit holders (Table 3; Figure 1).

## **FISHING PERIODS**

### **Standard Daily Fishing Periods for Most Purse Seine and Gillnet Sections**

For many years, there has been a “standard” fishing schedule for purse seine and gillnet permit holders, established in regulation (5AAC 27.510). For most of the KMA, this daily fishing schedule for purse seine and gillnet gear will still be in effect although some sections will be managed by emergency order (EO).

Unless otherwise specified in an EO, herring may be taken during the sac roe season from April 15 through June 30, as follows:

- **FOR PURSE SEINE PERMIT HOLDERS:** from April 15 through May 7, fishing periods for purse seine permit holders are from 12:00 NOON until 9:00 PM on odd-numbered days, and from 9:00 AM until 12:00 NOON on even-numbered days if a harvestable surplus is available; from May 8 through June 30, fishing periods for purse seine permit holders are from 12:00 NOON until 10:00 PM on odd-numbered days, and from 9:00 AM until 12:00 NOON on even-numbered days if a harvestable surplus is available;

- **FOR GILLNET PERMIT HOLDERS:** from April 15 through June 30, the fishing periods for gillnet permit holders are from 12:00 NOON on odd-numbered days until 12:00 NOON on even-numbered days.

There is a 24 hour closed period for both gear types, from 12:00 NOON on even-numbered days until 12:00 NOON on odd-numbered days. This “day-on, day-off” schedule will apply to most sections, except those to be managed under EO authority, as listed below.

The department may use EO authority to restrict fishing time and open areas in any section if over harvest concerns exist during the season.

### **Emergency Order Fishing Areas and Management for Enhanced Value**

There are two areas that will not follow the standard fishing schedule, but will instead be managed inseason by EO. In 2006, Kodiak Area management biologists will actively manage the fisheries within some sections to enhance the value of the landed product and control harvest rates. These areas are:

- Village Islands/Uganik Bays Section of the Uganik District
- Inner Uyak Bay Section of the Uyak District

These sections will not open to herring fishing at 12:00 NOON April 15, 2005. Instead, the department will manage the Village Islands/Uganik Bay Sections and Inner Uyak Bay Section fisheries by EO to enhance the value of the landed product. This may include timing fisheries so that the mature roe content of the catch is likely to be the highest possible and focusing the fishery into areas where the catch is likely to be composed of large herring (5 AAC 27.059). These sections have relatively large spawning biomass, early spawn timing, and generally experience high effort levels by fishermen. Also, large numbers of small-young, recruit-age herring may be present in these fisheries. Management biologists will attempt to minimize the harvest of small-young herring. Combined, these two areas comprise 1,900 tons, or 51%, of the total KMA GHL in 2006.

When marketable herring are found, if overharvest concerns exist, ADF&G will, as necessary, use EO authority as a harvest control by limiting the duration of fishing periods and/or the specific portion of a section that may open. As much advance notice as possible will be given prior to any potential fishing period. Fishing periods in actively managed sections may be short, followed by a closed period to allow time to assess the harvest before allowing additional fishing. Emergency Order announcements, concerning opening time, fishing period duration, and the open area within a section, will be made on VHF channel 6.

The department may also restrict the amount of herring harvested in a short period areawide, for processor quality and capacity concerns. Early in the season, the potential exists for having a large amount of herring caught and delivered to processing plants in a single day. Product quality problems may occur if herring must wait to be processed due to large harvests.

Management of the Village Islands/Uganik Bays Section and Inner Uyak Bay Section will be based on the size of their GHLs, the observed biomass in these fishing areas, effort levels, and the spawn timing of these different stocks. In the Village Islands/Uganik Bays Section, both gear types will fish within the same section, and additional restrictions will apply (see below). The department, fishermen, and buyers must work closely inseason to control harvest rates and target high quality roe herring.

It is expected that fisheries will be restricted to small areas and short periods, depending on the available biomass, the amount of fishing effort, and the results from samples collected during the test fishery. At the discretion of the management biologist, test fisheries will be conducted every day until good quality herring are located. Fishery openings will occur in locations where roe testing has shown high quality herring are present. Once commercial fisheries begin, additional test fisheries may be needed to identify the best quality fish for subsequent openings. The department will strive to coordinate the two EO purse seine fisheries with the regulatory fishing periods for purse seine gear in the remainder of the KMA.

## **Test Fishing**

ADF&G would like to enlist the help of Kodiak herring sac roe fishermen within the EO fisheries. Conducting test sets prior to fishery openings will allow sampling for fish size and roe maturity.

Prior to any fishery in the Village Islands/Uganik Bays Section and the Inner Uyak Bay Section the management biologist on the grounds will seek volunteer fishermen to conduct the test sets. The boats to be sent out to test fish will be determined by the management biologist. In some circumstances, there may be a need to send out more than one boat. All test fishing must be coordinated and directed by the ADF&G management biologist on the grounds. No test set should be made without consulting with the management biologist, either in person or via VHF radio channel 6.

Small amounts of herring from each test set will be kept for roe and size testing. From 75 to 150 pounds of herring should be randomly selected from each set for a sample. Herring will be tested for mature roe recovery (%) and average weight (grams) aboard the fishing vessel or may be transported to a central fishing boat or tender for later testing, as determined by the ADF&G management biologist and fishermen in the area.

ADF&G staff will not conduct roe recovery testing; industry personnel (processor technicians, fishermen, or tendermen) are expected to determine roe maturity and percent recovery. Instructions on how to determine roe quality and recovery percentages may be available from buyers and processors. Additionally, processors establish minimum size requirements (average weights) for the herring that they will purchase. All fishermen are urged to check with their market to determine what roe recovery and size limits will be required by the buyer. Management biologists will attempt to manage fisheries so that industry roe recovery and size requirements are met or exceeded. ADF&G will broadcast test fishery results on VHF channel 6, as they become available.

## **Village Islands/Uganik Bays Section Management**

The Village Islands, Northeast Arm Uganik, East Arm Uganik, and South Arm Uganik Sections will be managed as one section, with a GHl of 1,500 tons. In order to properly allocate herring within the Uganik District, both purse seine and gillnet gear will be allowed to fish within these combined sections. The Village Islands/Uganik Bays the purse seine GHl is 1,200 tons and for gillnet permit holders the GHl is 300 tons.

These sections will be actively managed by EO, by an ADF&G management biologist present aboard the ADF&G *R/V K-Hi-C*. Permit holders wishing to fish in these sections are urged to meet with the management biologist at 10:00 AM Saturday April 15, aboard the *R/V K-Hi-C* to volunteer for test fishing and discuss how the fishery will be managed. What portion of these sections will open and the duration of each fishing period will be determined by the ADF&G

management biologist on the grounds aboard *R/V K-Hi-C*. Test fishing will begin no earlier than 12:00 NOON on Saturday, April 15. The department will attempt to target the fishery on herring with approximately 11% roe recovery on the grounds.

To alleviate the potential for gear conflicts, it is expected that Village Islands/Uganik Bays fisheries for these gear types will be separated by date. The department will attempt to prosecute purse seine fisheries on odd-numbered days of the month of April and fishing time will occur from 12:00 NOON and unlikely after 9:00 PM.

For gillnet gear, fishing periods will likely begin at 9:00 AM on even numbered days of April and close by 9:00 AM the following odd numbered day (24 hour open period). Only a portion of the Village Islands/Uganik Bays Section will be open to either gear type and EO announcements will be made to define the open area to fishing. This is a general framework within which EO openings may occur. It is not expected that gillnet fishing periods will begin until after at least one successful purse seine fishing period has occurred. This should insure that high quality herring are present on the grounds.

Once the GHL for one gear group has been met, the fishing time for the other gear type that has not met its allocation could occur on any day.

### **Inner Uyak Bay Section Management**

The Inner Uyak Bay Section has a GHL of 300 tons and will be assigned to purse seine gear only in 2006 (Table 3). The Inner Uyak Bay Section will be managed for roe quality and size of herring. The department will attempt to target the fishery on herring with approximately 11% roe recovery on the grounds. The department vessel *R/V Resolution* will be stationed in Uyak Bay to manage the fishery; however the vessel and biologist will not be available to manage the fishery on April 15. The *R/V Resolution* will initially monitor the Danger Bay Section in the South Afognak District. When that fishery is complete the vessel will likely travel directly to Uyak Bay. The department will issue a News Release with at least 24 hours advanced notice for a potential fishing period for the Inner Uyak Bay Section. When the *R/V Resolution* is present in the Inner Uyak Bay Section the department will seek test fish volunteers. The department will conduct purse seine fishing on odd numbered days of the month of April. Purse seine periods will likely occur from 12:00 NOON to 9:00 PM. All fishing periods will be made by EO, with time and area restrictions.

Permit holders wishing to fish in this section are urged to meet with the management biologist aboard the *R/V Resolution*, to volunteer for test fishing and discuss how the fishery will be managed. What portion of the section will open and the duration of each fishing period will be determined by the ADF&G management biologist on the grounds.

### **Alitak District Changes in Section Descriptions and Management**

In 2005 new information on the distribution of herring in the Alitak District has resulted in ADF&G modifying (by EO) the description of five sections for the 2006 season.

The modified description of sections is as follows:

AL 20 – Inner Alitak Bay Section: all waters enclosed by a line from Cape Alitak to Cape Trinity, South of a line from the tip of Moser Peninsula (56°58.01' N. lat., 154°05.65' W. long.) to Cape Hepburn (56°57.28' N. lat., 153°57.94' W. long.), West of a line from Cape Hepburn to a point on the Aliulik Peninsula at 56°54.10' N. lat., 153°57.94' W. long., and south of a line across the Olga narrows at 57°03.38' N. Lat.

AL 30 – Sulua Bay Section: All waters of Sulua and Portage Bay east of a line that extends from Cape Hepburn to a point on the Aliulik Peninsula at 56°54.10' N. lat., 153°57.94' W. long.

AL 40 – Lower Olga – Moser Bay: All waters of Lower Olga Bay north of a line across the Olga narrows at 57°03.38' N. Lat. and south of a line across the entrance of Upper Olga Bay at 57°07.31' N. lat.

AL 41 – North Olga Bay: All waters of Upper Olga Bay north of a line across the entrance of Upper Olga Bay at 57°07.31' N. lat. and east of a line across Upper Olga Bay at 154°16.26' W. long.

AL 50 – South Olga Bay: All waters of Upper Olga Bay west of a line across Upper Olga Bay at 154°16.26' W. long.

Section AL31, Portage Bay, has been eliminated.

The 2006 KMA Herring Statistical Charts and (Figure 2) show these changes in section line boundaries.

The sum of the Alitak District sections with established GHGs for 2006 is 450 tons, an increase of 58% from the 2005 GHG (285 tons; Table 3). The sections within the Alitak District with established GHGs will be assigned to each gear group and the “standard” fishing period schedule for the respective gears types will begin on April 15. The department vessel *R/V K-Hi-C* and field crew will monitor the 2006 fishery.

## **ADF&G AND INDUSTRY COOPERATION**

Management of the herring sac roe fishery relies primarily on harvest data collected by ADF&G field crews. Timely harvest information is essential to fishery management. In addition to the management biologists aboard the *R/V Resolution* and *R/V K-Hi-C*, ADF&G will station technicians in mobile field camps in sections where the highest fishing activity is expected (Table 5). Field crews will initially be stationed at Amee Bay and in Kiliuda Bay, both within the Eastside District. On-the-grounds monitoring of fisheries is limited in some sections, and may occur incidental to monitoring efforts in adjacent sections. Department staff will make frequent contact with permit holders to collect harvest data, fleet movement information, spawn observations, and observations of juvenile and adult herring concentrations.

Permit holders and tender operators are encouraged to keep ADF&G field crews aware of herring harvests. In exploratory sections and all sections where a field crew is not present, if a harvest does occur, fishermen, tenders, or buyers should immediately contact area management biologists in Kodiak. Cooperation between the department, the fishing fleet, and buyers has been very good, and it is hoped that this will continue. If cooperation is lacking, closure of sections for the remainder of the 2006 season may be necessary, and future openings will be closely evaluated. Fishermen are strongly encouraged to test catches prior to landing to harvest the highest value product possible.

Permit holders and spotter pilots are encouraged to provide biomass estimates, juvenile herring observations, and spawn observations to the department field crews or management staff. Past cooperation has helped evaluate stock status and gain critical management information. All information from fishermen and spotters pilots will remain confidential. Of particular interest are

any observations of herring in closed management sections. Timely information will be used to direct ADF&G aerial or hydroacoustic surveys.

Samples from the commercial herring harvests need to be collected by ADF&G field crews and management biologists. Once again, industry cooperation is greatly appreciated. Department staff will also collect samples of juvenile herring. Samples are primarily used to monitor age composition and, when used with other stock performance indicators, will assist in determining stock status. Support and assistance from the industry is necessary for this style of fishery management to be successful. This support should result in a more manageable fishery, greater economic benefit to the permit holders, and ensure the long-term health of the KMA herring stocks.

## **CATCH REPORTING FOR BUYERS AND TENDERS**

Processors and independent tender operators are required to provide timely daily catch reports by section. Herring on board tenders that have not yet been delivered to a processing facility must also be reported. Timely and accurate harvest reports received from field crews, permit holders, tender operators, spotters, and processors are critical in the assessment of herring harvests and guide the management of the fishery. Inaccurate or late information could result in premature area closures or overharvest. Catch reporting procedures and ADF&G contact information is listed on the registration permit.

### **REGISTRATION PERMIT**

Each KMA tender operator and buyer must obtain a registration permit from the ADF&G in the Kodiak office, either in person or through an authorized agent (5AAC 27.540). A registration permit is required prior to taking fish on board the tender or taking fish at the processing plant. Tenders are required to complete ADF&G fish tickets for each delivery. The fish ticket must have the fisherman's permit information legibly recorded, and must show how many fish were harvested (the on-the-grounds weight), date of harvest, and section from which the fish were harvested.

### **PERMIT HOLDER REGISTRATION**

From April 15 through May 8 there is no registration permit requirements for herring sac roe permit holders.

All KMA herring sac roe permit holders are required after May 8 to register with the department and must have a registration permit aboard in order to participate in the herring sac roe fishery (5 AAC 27.510 (a)(4)). It is the responsibility of the permit holders to keep the department informed of fishing activity and report herring harvests daily. The registration permit will outline reporting requirements by gear type. The permits will be available from ADF&G in Kodiak and on the fishing grounds beginning May 1, 2006.

All purse seine permit holders are reminded that they may use only one purse seine vessel to take herring – either the vessel identified on the permit card or a replacement vessel. If a Kodiak sac roe seine permit holder intends to fish with a different vessel than is listed on their permit card, they must register the replacement vessel with Kodiak management staff (5 AAC 27.525 (d)).

## **EMERGENCY ORDER ANNOUNCEMENTS**

Two types of EO's may be issued inseason by the ADF&G for the KMA herring sac roe fishery: 1) announcements of short commercial fishing periods in the Village Islands/Uganik Bays Section

and the Inner Uyak Bay Section, and 2) announcements of in-period fishery closures in all other sections, which follow the standard fishing periods. When a preseason GHL for a section is approached or achieved, that section will be closed for the remainder of the season. Due to the rapid pace of the harvest in certain locations, in-period closures are likely. When in-period closures are necessary, there may be as little as five minutes advanced notice prior to the closure time, or less if practical. In-period closures will be announced on VHF channel 6. Fishermen and tender operators should monitor VHF channel 6 to remain aware of section closures.

At any time during the season, if the department determines that herring stock abundance is below preseason expectations, sections may be closed prior to reaching their GHL.

A news release will be issued to announce fishery decisions such as openings, closures, area restrictions, etc. News releases are distributed to processors, local radio stations and newspapers, and other interested parties. Contact the Kodiak herring area management biologists at the Kodiak ADF&G office to become part of the fax or email distribution lists for herring news releases. New releases can also be found on the web at <http://www.cf.adfg.state.ak.us/region4/finfish/herring/herrhom4.php>

All permit holders, tender operators, and processors are responsible for staying updated on section closures as they occur inseason. To accomplish this:

- 1) Contact the herring management staff in the Kodiak office, in person, by telephone at 486-1830, using Matrix AlaskaNet Satellite Dispatch at #7410, or the department cell phone 539-5495.
- 2) Contact department field personnel on VHF channel 6 or using Matrix Alaska Net Satellite Dispatch (*R/V Resolution* - #7411, and *R/V K-Hi-C* - #7412).
- 3) Contact any local herring processor for the latest Kodiak herring news release.
- 4) Call the ADF&G 24-hour recorded message phone at 486-4559.
- 5) Obtain a copy of the most recent news release from the Kodiak ADF&G office at 211 Mission Road (copies are available 24 hours per day in a bin located outside the main entrance to the building).
- 6) Listen to the ADF&G reports broadcast over the local AM and FM radio stations (consult stations for broadcast times).
- 7) News releases may also be found on the web at:  
<http://www.cf.adfg.state.ak.us/region4/finfish/herring/herrhom4.php>

## **HERRING TEST FISHERY PROGRAM**

A herring test fishery program is proposed for the 2006 season, to generate funds to be used for Kodiak herring fishery management and research projects. However, herring prices may be too low to warrant the necessary amount of harvest needed to generate the desired funds. The department may request bids from processors and/or fishermen for the harvest and purchase of herring if prices approach \$500/ton. Contact a Kodiak herring management biologists at the ADF&G office for more details.



## **TABLES AND FIGURES**

**Table 1.-**Historical harvest data for the commercial herring sac roe and food/bait fisheries and percent of the total annual herring harvest that occurs by fishery, Kodiak Management Area, 1964 to 2005.

Year	Sac Roe Harvest (Tons)	Food/Bait Harvest (Tons)	Total Herring Harvest (Tons)	Sac Roe Fishery Percent of Total Harvest (%)	Food/Bait Fishery Percent of Total Harvest (%)
1964	568	310	878	65%	35%
1965	657	35	692	95%	5%
1966	2,769	198	2,967	93%	7%
1967	1,662	300	1,962	85%	15%
1968	2,001	15	2,016	99%	1%
1969	1,130	11	1,141	99%	1%
1970	342	8	350	98%	2%
1971	284	44	328	87%	13%
1972	215	50	265	81%	19%
1973	831	178	1,009	82%	18%
1974	868	40	908	96%	4%
1975	8	5	13	62%	38%
1976	5	0	5	100%	0%
1977	338	0	338	100%	0%
1978	904	399	1,303	69%	31%
1979	1,735	125	1,860	93%	7%
1980	2,383	381	2,764	86%	14%
1981	2,065	18	2,083	99%	1%
1982	1,771	326	2,097	84%	16%
1983	2,318	33	2,351	99%	1%
1984	2,163	123	2,286	95%	5%
1985	1,968	102	2,070	95%	5%
1986	1,558	213	1,771	88%	12%
1987	2,146	217	2,363	91%	9%
1988	2,171	340	2,511	86%	14%
1989	2,249	345	2,594	87%	13%
1990	2,347	313	2,660	88%	12%
1991	2,432	215	2,647	92%	8%
1992	4,283	312	4,595	93%	7%
1993	4,929	837	5,766	85%	15%
1994	5,893	677	6,570	90%	10%
1995	4,604	507	5,111	90%	10%
1996	3,386	651	4,037	84%	16%
1997	3,235	756	3,991	81%	19%
1998	2,057	151	2,208	93%	7%
1999	1,651	0	1,651	100%	0%
2000	1,370	0	1,370	100%	0%
2001	1,694	115	1,809	94%	6%
2002	1,677	135	1,812	93%	7%
2003	1,992	199	2,191	91%	9%
2004	3,167	190	3,357	94%	6%
2005	3,463	168	3,631	95%	5%
Average					
1964 to 2005	1,983	215	2,198	90%	10%
10 Year					
1996 to 2005	2,369	237	2,606	91%	9%
5 Year					
2001 to 2005	2,334	138	2,472	94%	6%

**Table 2.-Herring sac roe fishery summary of season length, guideline harvest levels (GHL), harvest data by gear type, percentage of harvest by gear type, number of landings, and estimated exvessel earnings, Kodiak Management Area, 1979 to 2005.**

Year	Season Length (Days)	GHL (Tons)	Total Harvest (Tons)	Harvest		Percent Harvest		Number of Landings by Gear		Units of Gear Fished <sup>a</sup>		Average Catch by Gear		Estimated Average Earnings <sup>b</sup>		Price per Ton <sup>b</sup> (\$)	Estimated Exvessel Total Value <sup>b</sup> (\$)
				Seine (Tons)	Gillnet (Tons)	Seine	Gillnet	Seine	Gillnet	Seine	Gillnet	Seine (Tons)	Gillnet (Tons)	Seine (\$)	Gillnet (\$)		
1979	36	2,400	1,735	1,457	278	84%	16%	-	-	57	125	26	2	\$38,342	\$3,336	\$1,500	\$2,602,500
1980	35	2,400	2,383	2,009	374	84%	16%	-	-	92	109	22	3	\$15,068	\$2,368	\$690	\$1,644,270
1981	48	2,400	2,065	1,596	469	77%	23%	207	406	79	114	20	4	\$14,647	\$2,983	\$725	\$1,497,125
1982	59	2,400	1,771	1,447	324	82%	18%	138	191	45	67	32	5	\$17,686	\$2,660	\$550	\$974,050
1983	51	2,400	2,319	1,797	522	77%	23%	164	284	41	64	44	8	\$35,063	\$6,525	\$800	\$1,855,200
1984	54	2,400	2,163	1,691	472	78%	22%	138	212	39	69	43	7	\$34,687	\$5,472	\$800	\$1,730,400
1985	59	2,000	1,968	1,244	724	63%	37%	118	348	34	81	37	9	\$32,929	\$8,044	\$900	\$1,771,200
1986	61	1,690	1,558	1,110	448	71%	29%	132	385	31	71	36	6	\$34,016	\$5,994	\$950	\$1,480,100
1987	61	1,640	2,146	1,591	554	74%	26%	122	411	29	62	55	9	\$54,862	\$8,935	\$1,000	\$2,146,000
1988	59	2,065	2,171	1,304	867	60%	40%	169	555	33	76	40	11	\$51,370	\$14,830	\$1,300	\$2,822,300
1989	76	2,415	2,249	1,513	736	67%	33%	171	627	37	83	41	9	\$34,758	\$7,537	\$850	\$1,911,650
1990	75	2,375	2,347	1,644	703	70%	30%	156	544	27	63	61	11	\$51,756	\$9,485	\$850	\$1,994,950
1991	83	2,510	2,432	1,697	735	70%	30%	169	587	32	64	53	11	\$45,077	\$9,762	\$850	\$2,067,200
1992	77	2,720	4,283	3,260	1,023	76%	24%	185	706	40	74	82	14	\$40,750	\$6,912	\$500	\$2,141,500
1993	77	3,525	4,929	4,203	726	85%	15%	237	294	41	86	103	8	\$56,382	\$4,643	\$550	\$2,710,950
1994	71	4,550	5,893	4,976	917	84%	16%	285	485	66	57	75	16	\$60,315	\$12,870	\$800	\$4,714,400
1995	73	4,480	4,604	3,837	768	83%	17%	280	642	73	71	53	11	\$66,858	\$13,759	\$1,272	\$5,856,288
1996	69	4,180	3,386	2,322	1,064	69%	31%	202	890	57	74	41	14	\$81,474	\$28,757	\$2,000	\$6,772,000
1997	49	3,435	3,235	2,629	606	81%	19%	183	418	64	59	41	10	\$20,539	\$5,136	\$500	\$1,617,500
1998	50	2,030	2,057	1,954	103	95%	5%	110	26	35	7	56	15	\$27,914	\$7,357	\$500	\$1,028,500
1999	38	1,495	1,651	1,589	62	96%	4%	94	16	31	5	51	12	\$33,984	\$8,221	\$663	\$1,094,613
2000 <sup>c</sup>	37	1,735	1,370	1,290	80	94%	6%	57	23	31	10	42	8	\$29,129	\$5,600	\$700	\$959,000
2001	47	1,540	1,694	1,412	282	83%	17%	67	37	33	9	43	31	\$21,394	\$15,667	\$500	\$847,000
2002	46	1,860	1,677	1,274	403	76%	24%	37	50	30	14	42	29	\$21,233	\$14,393	\$500	\$838,500
2003	42	2,600	1,992	1,738	254	87%	13%	59	45	31	11	56	23	\$28,032	\$11,545	\$500	\$996,000
2004	42	2,850	3,167	2,894	273	91%	9%	95	36	27	11	107	25	\$53,593	\$12,409	\$500	\$1,583,500
2005	31	3,475	3,463	2,932	531	85%	15%	134	61	32	12	92	44	\$45,813	\$22,125	\$500	\$1,731,500
Average																	
1979 to 2005	56	2,577	2,619	2,089	530	79%	21%	148	331	43	57	50	13	\$38,803	\$9,531	\$806	\$2,125,489
10 Year																	
1996 to 2005	45	2,520	2,369	2,003	366	86%	14%	104	160	37	21	57	21	\$36,310	\$13,121	\$686	\$1,746,811
5 Year																	
2001 to 2005	42	2,465	2,399	2,050	349	85%	15%	78	46	31	11	68	30	\$34,013	\$15,228	\$500	\$1,199,300

<sup>a</sup> From 1979 to 1998 fishery participation was based on vessels making landings; 1999 to 2004 data is based on actual fishery participation.

<sup>b</sup> Exvessel values are based on dock delivered herring and inseason data.

<sup>c</sup> Beginning in 2000, an allocative harvest strategy was in effect.

**Table 3.-**List of districts and management sections, guideline harvest levels (GHLs), closed sections, and district allocation percentages for the herring sac roe fishery, Kodiak Management Area, 2006.

Statistical Area	Management Section	2006 Guideline		
		Harvest Level Tons	Purse Seine Tons	Gillnet Tons
<b><i>NORTH AFOGNAK DISTRICT</i></b>				
NA10	Shuyak Island	CLOSED	-	-
NA20	Delphin Bay	CLOSED	-	-
NA30	Perenos Bay	EXPLORATORY	EXPLORATORY	EXPLORATORY
NA40	Seal Bay	CLOSED	-	-
NA50	Tonki Bay	20	20	CLOSED
<b><i>WEST AFOGNAK DISTRICT</i></b>				
WA10	Raspberry Strait	CLOSED	-	-
WA20	Malina Bay	10	CLOSED	10
WA31	Paramanof Bay	CLOSED	-	-
WA32	Foul Bay	CLOSED	-	-
WA40	Blue Fox/Devil's Inlet	EXPLORATORY	EXPLORATORY	EXPLORATORY
WA50	Offshore W. Afognak	CLOSED	-	-
<b><i>SOUTH AFOGNAK DISTRICT</i></b>				
SA10	Izhut Bay	40	CLOSED	40
SA20	Kitoy Bay	* Note: SA10, SA20, and SA30 will be managed as one section.		
SA30	MacDonalds Lagoon	* Note: SA10, SA20, and SA30 will be managed as one section.		
SA40	Danger Bay	90	90	CLOSED
SA50	Litnik	CLOSED	-	-
SA60	Duck Bay	CLOSED	-	-
<b><i>TOTAL ALL AFOGNAK DISTRICTS</i></b>		160	110	50
<b><i>DISTRICT ALLOCATION PERCENTAGE</i></b>			68.8%	31.3%
<b><i>UGANIK DISTRICT</i></b>				
UG10	Kupreanof	CLOSED	-	-
UG20	Viekoda Bay	25	-	25
UG21	Terror Bay	30	CLOSED	30
UG30	Village Islands	1,500	1,200	300
UG31	West Uganik Passage	40	-	40
UG32	NE Arm Uganik Bay	* Note: UG30, UG32, UG33, and UG34 will be managed as one section with 1,200 ton GHL for purse seine gear and 300 ton GHL for gillnet gear.		
UG33	East Arm Uganik Bay			
UG34	South Arm Uganik Bay			
UG40	Offshore Uganik	CLOSED	-	-
<b><i>DISTRICT TOTAL</i></b>		1,595	1,200	395
<b><i>DISTRICT ALLOCATION PERCENTAGE</i></b>			75.2%	24.8%
<b><i>UYAK DISTRICT</i></b>				
UY10	Offshore Uyak	CLOSED	-	-
UY20	Harvester Island	CLOSED	-	-
UY30	Inner Uyak	300	300	CLOSED
UY32	Browns Lagoon	50	CLOSED	50
UY31	Larsen Bay	CLOSED	-	-
UY40	Zachar Bay	40	CLOSED	40
UY50	Spiridon Bay	10	CLOSED	10
<b><i>DISTRICT TOTAL</i></b>		400	300	100
<b><i>DISTRICT ALLOCATION PERCENTAGE</i></b>			75.0%	25.0%

-continued-

Table 3.-Page 2 of 3.

Statistical Area	Management Section	2006 Guideline		
		Harvest Level Tons	Purse Seine Tons	Gillnet Tons
<b>ALITAK DISTRICT</b> (Note: New section boundaries will be in effect by emergency order, see figure 2.)				
AL10	Outer Alitak	CLOSED	-	-
AL20	Inner Alitak	75	75	CLOSED
AL21	Inner Deadman Bay	75	75	CLOSED
AL22	Outer Deadman Bay	75	75	CLOSED
AL30	Sulua Bay	75	CLOSED	75
AL31	Portage Bay	<i>(New section boundaries split this section with AL20 and AL30)</i>		
AL40	Lower Olga/Moser	50	CLOSED	50
AL41	No. Upper Olga Bay	50	50	CLOSED
AL50	Upper Olga Bay	50	50	CLOSED
AL60	Geese/Twoheaded	EXPLORATORY	EXPLORATORY	EXPLORATORY
<b>DISTRICT TOTAL</b>		450	325	125
<b>DISTRICT ALLOCATION PERCENTAGE</b>			72.2%	27.8%
<b>STURGEON/HALIBUT DISTRICT</b>				
SH10	Sturgeon/Halibut	CLOSED	CLOSED	CLOSED
<b>EASTSIDE DISTRICT</b>				
EA10	Kaiugnak	EXPLORATORY	EXPLORATORY	EXPLORATORY
EA20	SW. Sitkalidak	EXPLORATORY	EXPLORATORY	EXPLORATORY
EA21	Three Saints Bay	EXPLORATORY	EXPLORATORY	EXPLORATORY
EA22	Newman Bay	EXPLORATORY	EXPLORATORY	EXPLORATORY
EA23	W. Sitkalidak Strait	125	125	CLOSED
EA24	Barling Bay	75	75	CLOSED
EA30	E. Sitkalidak Strait	150	150	CLOSED
EA31	Tanginak Anchorage	EXPLORATORY	EXPLORATORY	EXPLORATORY
EA40	Outer Sitkalidak	CLOSED	-	-
EA41	Boulder Bay	CLOSED	-	-
EA42	Shearwater Bay	40	CLOSED	40
EA43	Outer Kiliuda Bay	200	200	CLOSED
EA44	Inner Kiliuda Bay	75	CLOSED	75
EA50	Outer Ugak Bay	120	CLOSED	120
EA51	Inner Ugak Bay	200	200	CLOSED
EA52	Pasagshak Bay	CLOSED	-	-
<b>DISTRICT TOTAL</b>		985	750	235
<b>DISTRICT ALLOCATION PERCENTAGE</b>			76.1%	23.9%
<b>NORTHEAST DISTRICT</b>				
NE10	Womens Bay	30	CLOSED	30
NE20	Kalsin Bay	CLOSED	-	-
NE30	Middle Bay	CLOSED	-	-
NE40	Inshore Chiniak	CLOSED	-	-
NE50	Offshore Chiniak	CLOSED	-	-
<b>DISTRICT TOTAL</b>		30	CLOSED	30
<b>DISTRICT ALLOCATION PERCENTAGE</b>			0%	100%

-continued-

**Table 3.-Page 3 of 3.**

Statistical Area	Management Section	2006 Guideline		
		<u>Harvest Level</u> Tons	<u>Purse Seine</u> Tons	<u>Gillnet</u> Tons
<b><i>INNER MARMOT DISTRICT</i></b>				
IM10	Monashka Bay	CLOSED	-	-
IM20	Anton Larsen Bay	15	CLOSED	15
IM30	Sharatin Bay	10	CLOSED	10
IM40	Kizhuyak Bay	60	60	CLOSED
IM50	Spruce Island	CLOSED	-	-
<b><i>DISTRICT TOTAL</i></b>		85	60	25
<b><i>DISTRICT ALLOCATION PERCENTAGE</i></b>			70.6%	29.4%
<b><i>NORTH MAINLAND DISTRICT</i></b>				
NM10	Hallo Bay	CLOSED	-	-
NM20	Inner Kukak	EXPLORATORY	EXPLORATORY	EXPLORATORY
NM30	Outer Kukak	CLOSED	-	-
NM40	Missak Bay	CLOSED	-	-
<b><i>MID MAINLAND DISTRICT</i></b>				
MM10	Inner Katmai	EXPLORATORY	EXPLORATORY	EXPLORATORY
MM20	Outer Katmai	CLOSED	-	-
MM30	Alinchak	EXPLORATORY	EXPLORATORY	EXPLORATORY
MM40	Puale Bay	EXPLORATORY	EXPLORATORY	EXPLORATORY
MM50	Portage Bay	EXPLORATORY	EXPLORATORY	EXPLORATORY
MM60	Outer Portage	EXPLORATORY	EXPLORATORY	EXPLORATORY
<b><i>SOUTH MAINLAND DISTRICT</i></b>				
SM10	Wide Bay	EXPLORATORY	EXPLORATORY	EXPLORATORY
SM20	Lower Shelikof	CLOSED	-	-
<b><i>MAINLAND DISTRICTS TOTAL</i></b>		0	0	0
<b><i>DISTRICT ALLOCATION PERCENTAGE</i></b>			0.0%	0.0%
<b><i>GHL GRAND TOTAL</i></b>		3,705	2,745	960
<b><i>ALLOCATION PERCENTAGE ALL DISTRICTS</i></b>			74.1%	25.9%

**Table 4.-**Alaska statewide average herring sac roe harvest for 2001 to 2005 and preliminary 2006 harvest projections.

Fishery Location	Average Harvest 2001-2005	2006 GHJ
<i>Southeast</i>		
Kah Shakes	0	Closed
Sitka Sound	10,182	10,412
Seymour Canal	1,014	1,508
Hobart/Houghton	41	Closed
West Behm Canal	0	Closed
Lynn Canal	0	Closed
Southeast Total	11,237	11,920
<i>Prince William Sound</i>	0	Closed
<i>Cook Inlet</i>		
Kamishak District	0	Closed
Upper Cook Inlet	9	38
Cook Inlet Total	9	38
<i>Kodiak</i>		
Purse Seine	2,050	2,745
Gillnet	349	960
Kodiak Total	2,399	3,705
<i>Alaska Peninsula</i>		
North Peninsula	0	0
South Peninsula	0	0
AK. Peninsula Total	0	0
<i>Bristol Bay (Togiak)</i>		
Seine	13,955	15,946
Gill Net	5,812	6,834
Togiak Total	19,767	22,780
<i>AYK Area</i>		
Security Cove	633	1,495
Goodnews Bay	35	822
Cape Avinof	140	105
Nunivak Island	81	852
Nelson Island	787	562
Cape Romanzof	94	609
Norton Sound		
Gillnet	1,306	6,702
Beach Seine	16	745
Port Clarence	0	165
AYK Total	3,092	12,057
<i>Statewide Total Harvest</i>	36,504	50,500

**Table 5.-**Alaska Department of Fish and Game, Division of Commercial Fisheries management staff, Kodiak Management Area, 2006.

---

<b>Office:</b>	
Regional Supervisor	Jim McCullough
Regional Management Finfish Supervisor	Vacant
Area Management Biologist	Jeff Wadle
Assistant Area Management Biologist	Dennis Gretsch
Assistant Area Management Biologist	Joe Dinnocenzo
Fishery Biologist	Geoff Spalinger

---

<b>Field Staff:</b>	
R/V K-Hi-C:	
Boat Officer	Danny Wilson
Assistant Area Management Biologist	Dennis Gretsch
R/V Resolution:	
Boat Officer	Dennis Cox
Assistant Area Management Biologist	Joe Dinnocenzo
Field Crews:	
Fishery Technician	Jon Becker
Fishery Technician	Tim Chiles
Fishery Technician	Lisa Creelman
Fishery Technician	David Goodie

---





Figure 1.-Map of the Kodiak herring sac roe fishery by harvest areas.



**Figure 2.**—Map showing the section boundary lines that will be in effect for the Alitak District in 2006.