

Fishery Management Report No. 07-49

**Annual Management Report for the 2006 Southeast
Alaska and Yakutat Commercial, Personal Use, and
Subsistence Salmon Fisheries**

by

Al Tingley

and

Bill Davidson

September 2007

Alaska Department of Fish and Game

Divisions of Sport Fish and Commercial Fisheries



Symbols and Abbreviations

The following symbols and abbreviations, and others approved for the Système International d'Unités (SI), are used without definition in the following reports by the Divisions of Sport Fish and of Commercial Fisheries: Fishery Manuscripts, Fishery Data Series Reports, Fishery Management Reports, and Special Publications. All others, including deviations from definitions listed below, are noted in the text at first mention, as well as in the titles or footnotes of tables, and in figure or figure captions.

| Weights and measures (metric) | | General | | Measures (fisheries) | |
|--------------------------------------|----|--------------------------|----------------------------------|----------------------------------|-------------------------|
| centimeter | cm | Alaska Administrative | | fork length | FL |
| deciliter | dL | Code | AAC | mid-eye-to-fork | MEF |
| gram | g | all commonly accepted | | mid-eye-to-tail-fork | METF |
| hectare | ha | abbreviations | e.g., Mr., Mrs., AM, PM, etc. | standard length | SL |
| kilogram | kg | | | total length | TL |
| kilometer | km | all commonly accepted | | | |
| liter | L | professional titles | e.g., Dr., Ph.D., R.N., etc. | | |
| meter | m | at | @ | Mathematics, statistics | |
| milliliter | mL | compass directions: | | <i>all standard mathematical</i> | |
| millimeter | mm | east | E | <i>signs, symbols and</i> | |
| | | north | N | <i>abbreviations</i> | |
| | | south | S | alternate hypothesis | H _A |
| | | west | W | base of natural logarithm | <i>e</i> |
| | | copyright | © | catch per unit effort | CPUE |
| | | corporate suffixes: | | coefficient of variation | CV |
| | | Company | Co. | common test statistics | (F, t, χ^2 , etc.) |
| | | Corporation | Corp. | confidence interval | CI |
| | | Incorporated | Inc. | correlation coefficient | |
| | | Limited | Ltd. | (multiple) | R |
| | | District of Columbia | D.C. | correlation coefficient | |
| | | et alii (and others) | et al. | (simple) | r |
| | | et cetera (and so forth) | etc. | covariance | cov |
| | | exempli gratia | e.g. | degree (angular) | ° |
| | | (for example) | | degrees of freedom | df |
| | | Federal Information | FIC | expected value | <i>E</i> |
| | | Code | | greater than | > |
| | | id est (that is) | i.e. | greater than or equal to | ≥ |
| | | latitude or longitude | lat. or long. | harvest per unit effort | HPUE |
| | | monetary symbols | | less than | < |
| | | (U.S.) | \$, ¢ | less than or equal to | ≤ |
| | | months (tables and | | logarithm (natural) | ln |
| | | figures): first three | | logarithm (base 10) | log |
| | | letters | Jan, ..., Dec | logarithm (specify base) | log ₂ , etc. |
| | | registered trademark | ® | minute (angular) | ' |
| | | trademark | ™ | not significant | NS |
| | | United States | | null hypothesis | H ₀ |
| | | (adjective) | U.S. | percent | % |
| | | United States of | | probability | P |
| | | America (noun) | USA | probability of a type I error | |
| | | U.S.C. | United States | (rejection of the null | |
| | | | Code | hypothesis when true) | α |
| | | | | probability of a type II error | |
| | | | | (acceptance of the null | |
| | | | | hypothesis when false) | β |
| | | | | second (angular) | " |
| | | | | standard deviation | SD |
| | | | | standard error | SE |
| | | | | variance | |
| | | | | population | Var |
| | | | | sample | var |

Weights and measures (English)

| | |
|-----------------------|--------------------|
| cubic feet per second | ft ³ /s |
| foot | ft |
| gallon | gal |
| inch | in |
| mile | mi |
| nautical mile | nmi |
| ounce | oz |
| pound | lb |
| quart | qt |
| yard | yd |

Time and temperature

| | |
|--------------------|-----|
| day | d |
| degrees Celsius | °C |
| degrees Fahrenheit | °F |
| degrees kelvin | K |
| hour | h |
| minute | min |
| second | s |

Physics and chemistry

| | |
|-----------------------|-----------|
| all atomic symbols | |
| alternating current | AC |
| ampere | A |
| calorie | cal |
| direct current | DC |
| hertz | Hz |
| horsepower | hp |
| hydrogen ion activity | pH |
| (negative log of) | |
| parts per million | ppm |
| parts per thousand | ppt, ‰ |
| volts | V |
| watts | W |

FISHERY MANAGEMENT REPORT NO. 07-49

**ANNUAL MANAGEMENT REPORT FOR THE 2006 SOUTHEAST
ALASKA AND YAKUTAT COMMERCIAL, PERSONAL USE, AND
SUBSISTENCE SALMON FISHERIES**

by

Al Tingley,
Alaska Department of Fish and Game, Division of Commercial Fisheries, Douglas

and

Bill Davidson,
Alaska Department of Fish and Game, Division of Commercial Fisheries, Sitka

Alaska Department of Fish and Game
Division of Sport Fish, Research and Technical Services
333 Raspberry Road, Anchorage, Alaska, 99518-1565

September 2007

The Division of Sport Fish Fishery Management Reports series was established in 1989 for the publication of an overview of Division of Sport Fish management activities and goals in a specific geographic area. Since 2004, the Division of Commercial Fisheries has also used the Fishery Management Report series. Fishery Management Reports are intended for fishery and other technical professionals, as well as lay persons. Fishery Management Reports are available through the Alaska State Library and on the Internet: <http://www.sf.adfg.state.ak.us/statewide/divreports/html/intersearch.cfm>. This publication has undergone regional peer review.

*Al Tingley,
Alaska Department of Fish and Game, Division of Commercial Fisheries,
802 3rd Street,
P.O. Box 110024, Douglas, AK 99811-0024 USA*

and

*Bill Davidson,
Alaska Department of Fish and Game, Division of Commercial Fisheries
304 Lake Street, Room 103
Sitka, AK 99835-7563 USA*

This document should be cited as:

Tingley, A., and W. Davidson. 2007. Annual management report for the 2006 Southeast Alaska and Yakutat commercial, personal use, and subsistence salmon fisheries. Alaska Department of Fish and Game, Fishery Management Report No. 07-49, Anchorage.

The Alaska Department of Fish and Game (ADF&G) administers all programs and activities free from discrimination based on race, color, national origin, age, sex, religion, marital status, pregnancy, parenthood, or disability. The department administers all programs and activities in compliance with Title VI of the Civil Rights Act of 1964, Section 504 of the Rehabilitation Act of 1973, Title II of the Americans with Disabilities Act (ADA) of 1990, the Age Discrimination Act of 1975, and Title IX of the Education Amendments of 1972.

If you believe you have been discriminated against in any program, activity, or facility please write:

ADF&G ADA Coordinator, P.O. Box 115526, Juneau AK 99811-5526

U.S. Fish and Wildlife Service, 4040 N. Fairfax Drive, Suite 300 Webb, Arlington VA 22203

Office of Equal Opportunity, U.S. Department of the Interior, Washington DC 20240

The department's ADA Coordinator can be reached via phone at the following numbers:

(VOICE) 907-465-6077, (Statewide Telecommunication Device for the Deaf) 1-800-478-3648, (Juneau TDD) 907-465-3646, or (FAX) 907-465-6078

For information on alternative formats and questions on this publication, please contact:

ADF&G, Sport Fish Division, Research and Technical Services, 333 Raspberry Road, Anchorage AK 99518 (907)267-2375.

TABLE OF CONTENTS

| | Page |
|---|-------------|
| LIST OF TABLES..... | ii |
| LIST OF FIGURES..... | ii |
| ABSTRACT..... | 1 |
| INTRODUCTION..... | 1 |
| DESCRIPTION OF THE SOUTHEAST ALASKA/YAKUTAT REGION..... | 1 |
| FISHERIES MANAGEMENT ORGANIZATION..... | 2 |
| HISTORICAL SUMMARY..... | 2 |
| FISHERY CHARACTERISTICS..... | 2 |
| FISHERY PARTICIPATION..... | 3 |
| SALMON HARVEST..... | 3 |
| HARVEST BY GEAR TYPE..... | 3 |
| EXVESSEL VALUE..... | 3 |
| SUBSISTENCE AND PERSONAL USE SALMON FISHERIES..... | 4 |
| REFERENCE CITED..... | 4 |
| TABLES AND FIGURES..... | 5 |

LIST OF TABLES

| Table | Page |
|---|-------------|
| 1. Southeast Alaska region annual total commercial salmon harvest and percentages of the total, in numbers, by species, from 1960 to 2006..... | 6 |
| 2. Number of active limited entry and interim use permits issued and fished in the Southeast Alaska and Yakutat salmon fisheries, from 1977 to 2006..... | 8 |
| 3. Southeast Alaska region commercial salmon harvest, in numbers, by harvest type and fishery, 2006..... | 9 |
| 4. Southeast Alaska region annual commercial total salmon harvest by harvest type, in numbers and percent, from 1960 to 2006..... | 10 |
| 5. Southeast Alaska region annual commercial total Chinook salmon harvest by harvest type, in numbers and percent, from 1960 to 2006..... | 12 |
| 6. Southeast Alaska region annual commercial total sockeye salmon harvest by harvest type, in numbers and percent, from 1960 to 2006..... | 14 |
| 7. Southeast Alaska region annual commercial total coho salmon harvest by harvest type, in numbers and percent, from 1960 to 2006..... | 16 |
| 8. Southeast Alaska region annual commercial total pink salmon harvest by harvest type, in numbers and percent, from 1960 to 2006..... | 18 |
| 9. Southeast Alaska region annual commercial total chum salmon harvest by harvest type, in numbers and percent, from 1960 to 2006..... | 20 |
| 10. Southeast Alaska region salmon exvessel value, harvest, average weight, and price paid per pound by gear and species, 2006..... | 22 |
| 11. Southeast Alaska region total salmon exvessel values (in dollars), by species, from 1985 to 2006..... | 23 |
| 12. Southeast Alaska, excluding Yakutat, reported subsistence and personal use salmon harvest, by species, and number of permits issued, from 1961 to 2006..... | 24 |
| 13. Yakutat Area reported subsistence salmon harvest, by species, and number of permits issued, from 1975 to 2006..... | 26 |

LIST OF FIGURES

| Figure | Page |
|---|-------------|
| 1. The Southeast Alaska/Yakutat Region (Region I) consists of Alaska waters between Cape Suckling on the north and Dixon Entrance on the south..... | 27 |
| 2. Region I is divided into two salmon net registration areas. Registration Area A, the Southeast Alaska area, extends from Dixon Entrance to Cape Fairweather. The Southeast Alaska area is divided into 17 regulatory districts, Districts 1 through 16 and the Dixon Entrance District..... | 28 |
| 3. Some Registration Area A districts are further divided into regulatory sections. Registration Area D, the Yakutat area, extends from Cape Fairweather to Cape Suckling. The Yakutat area is further divided into the Yakutat District, extending from Cape Fairweather to Icy Cape, and the Yakataga District extending westward from Icy Cape to Cape Suckling..... | 29 |
| 4. Region I (Southeast Alaska and Yakutat) historical salmon harvest and recent 10-year average harvest, from 1878 to 2006..... | 30 |
| 5. Region I (Southeast Alaska and Yakutat) historical salmon harvest by species and season..... | 31 |
| 6. Exvessel value (in 2004-adjusted dollars) by species and season, and number of salmon harvested by season..... | 32 |
| 7. Number of fish harvested, by species, in the Southeast Alaska, excluding Yakutat, subsistence/personal use fishery, 1985 to 2005..... | 33 |
| 8. Number of fish harvested, by species, in the Yakutat subsistence/personal use fishery, 1985 to 2005..... | 34 |

ABSTRACT

Southeast Alaska and Yakutat commercial, personal use, and subsistence salmon fisheries are summarized for the 2006 season and historical harvest information is provided. Total commercial harvest in 2006 was 28.8 million salmon with an exvessel value of \$91,200,000. Harvest by species in 2006 included 371,000 Chinook, 1.3 million sockeye, 2.1 million coho, 11.7 million pink, and 13.4 million chum salmon. In the purse seine fishery 234 permit holders harvested 16.2 million salmon, including 10.8 million pink and 5.6 million chum salmon. In the drift gillnet fishery 361 permit holders harvested 3.1 million chum, 626,000 sockeye and 252,000 coho, and 47,000 Chinook salmon. In the troll fishery 740 power troll and 371 hand troll permit holders harvested 282,000 Chinook and 1.4 million coho salmon. In the set gillnet fishery 105 permit holders harvested 139,000 sockeye and 86,000 coho salmon. Hatchery organizations harvested 4.3 million chum salmon for cost recovery. In personal use and subsistence fisheries 3,397 permits were issued in Southeast Alaska and Yakutat. Reported harvest by 75% of returned permits thus far is 47,600 salmon including 42,000 sockeye salmon.

Key words: Southeast Alaska, Yakutat, Region I, 2006 season, commercial fisheries, personal use fisheries, subsistence fisheries, Chinook, sockeye, coho, pink, chum, salmon, exvessel value, permit holders, hatchery, purse seine, drift gillnet, power troll, hand troll, set gillnet.

INTRODUCTION

This report summarizes the commercial and subsistence/personal use salmon fisheries in the Southeast Alaska/Yakutat Region for the 2006 season. Beginning with the 2006 season, separate reports will be issued which provide more detailed summaries of the 2006 Southeast and Yakutat Salmon Troll Fishery, the 2006 Yakutat Area Commercial Set Net Fishery, and the 2006 Southeast Alaska Purse Seine and Drift Gillnet Fisheries. These reports were formerly combined annually as in the 2005 Commercial, Personal Use, and Subsistence Salmon Fisheries: Report to the Alaska Board of Fisheries (Bachman, et. al. 2005). The reports are being separately issued to standardize and facilitate future reporting as annual Fishery Management Reports.

In the Region I fisheries all five Pacific salmon species are harvested. Approximately 28.8 million salmon were commercially harvested in Region I in 2006. The total exvessel value of the commercial salmon harvest was approximately \$91.2 million dollars. For 2006, 1,811 permit holders participated in the commercial salmon season, a slight increase over 2005. With 75% of the 3,397 Region I subsistence/personal use permits returned thus far, reported harvest is 47,765 fish, of which 88% were sockeye salmon.

DESCRIPTION OF THE SOUTHEAST ALASKA/YAKUTAT REGION

The Southeast Alaska/Yakutat Region (Region I) consists of Alaska waters between Cape Suckling on the north and Dixon Entrance on the south (Figure 1). Region I is divided into two salmon net registration areas. Registration Area A, the Southeast Alaska area, extends from Dixon Entrance to Cape Fairweather. The Southeast Alaska area is divided into 17 regulatory districts, Districts 1 through 16 and the Dixon Entrance District (Figure 2). Some Registration Area A districts are further divided into regulatory sections. Registration Area D, the Yakutat area, extends from Cape Fairweather to Cape Suckling. The Yakutat area is further divided into the Yakutat District, extending from Cape Fairweather to Icy Cape, and the Yakataga District extending westward from Icy Cape to Cape Suckling (Figure 3).

For management and administrative purposes, Region I is divided into six management areas with area offices in Juneau, Ketchikan/Craig, Petersburg/Wrangell, Sitka, Haines, and Yakutat. The Craig office is seasonally staffed.

FISHERIES MANAGEMENT ORGANIZATION

Management of the Region I salmon fisheries is accomplished via coordination of the area management biologists. There are six area management biologists in Region I, corresponding to the area offices. Management biologists with area responsibilities oversee the commercial salmon net (purse seine, drift gillnet and set gillnet), herring, shrimp pot, miscellaneous shellfish dive fisheries, and the subsistence/personal use fisheries in their respective areas. Management biologists with regional responsibilities oversee the salmon troll, groundfish, crab, and shrimp beam trawl fisheries. There is a closely coordinated regional management approach for every fishery because of the spatial and temporal movement of fish and fishermen between the various management areas. Prior to each salmon season the department publishes detailed management plans which specify how that season's fishery will be managed along with information about expected returns. Specific management actions are taken inseason which specify fishery opening times and areas or additional measures. These actions are implemented through emergency orders under authority delegated by the department commissioner to regional and area management biologists. Details of openings are announced in department issued news releases which are widely distributed. Subsistence and personal use fisheries are managed under permit authority, and permits are issued by each management area.

HISTORICAL SUMMARY

Commercial utilization of the Region I salmon resources began in the late 1870s (Figure 4). Until the early 1900s, sockeye salmon was the primary species harvested (Figure 5). Pink salmon began to dominate the harvest in the early 1900s and in the past ten years have comprised 51 to 84% of the region's total salmon harvest (Table 1). The relative order of production (in numbers of fish) from highest to lowest is generally pink, chum, coho, sockeye, and Chinook salmon.

The harvest of salmon in Region I peaked in the late 1930s and early 1940s and declined to historical low levels in the 1950s and early 1960s (Figure 4). During the mid to late 1960s, harvests increased, but in the early 1970s, another decline in production occurred. Since the mid 1970s, salmon production levels in Region I have generally been increasing with record harvests of Chinook (2004), sockeye (1993), coho (1994), pink (1999), and chum salmon (1996) occurring in recent years (Table 1). In 2006, due to poor pink returns, the region harvested approximately 8.2 million less fish than the all-year historic average, and harvested approximately 38.4 million fish less than the recent 10-year average of 67.2 million (Table 1).

FISHERY CHARACTERISTICS

Salmon are commercially harvested in Southeast Alaska (Registration Area A) with purse seines and drift gillnets; in Yakutat (Registration Area D) with set gillnets; and in both areas with hand and power troll gear. The salmon net fisheries are confined to state waters. The troll fishery operates in both state waters and in the federal waters of the Exclusive Economic Zone (EEZ). The use of floating fish traps is restricted to the Annette Island Fishery Reserve, established by Presidential Proclamation in 1916, however, there have been no reported fish trap harvests since 1993.

Region I salmon fisheries are complex due to the mixed stock and mixed species nature of the returns and to the existence of several different gear groups that often harvest the same stocks of fish. Because the region contains approximately 5,500 salmon producing streams and tributaries of various productivity levels, it is impractical to apply stock specific fisheries management according to the run strength of individual returns. Additionally, some salmon harvested in the

region originate from other states (primarily Washington and Oregon) and Canada. Net and troll fisheries in Southeast Alaska and Yakutat are managed for sustained yield, allocated among users according to state Board of Fisheries regulations, and also in accordance with harvest sharing provisions of the Pacific Salmon Treaty between the US and Canada.

FISHERY PARTICIPATION

According to preliminary information from the Commercial Fisheries Entry Commission (CFEC), 414 purse seine, 477 drift gillnet, 167 set gillnet, 1,104 hand troll, and 961 power troll permits were issued in 2006 (Table 2). Preliminary fish ticket information indicates that a total of 1,811 permit holders, including 234 purse seine, 361 drift gillnet, 105 set gillnet, 371 hand troll, and 740 power troll permit holders reported salmon landings in calendar year 2006. Purse seine participation was about the same as in 2005 but still below the recent 10-year average. Drift gillnet and set gillnet participation was slightly less than the 2005 level and below the 10-year average. Hand troll and power troll participation was more than the 2005 levels and the 10-year averages.

SALMON HARVEST

The Region I cumulative commercial salmon harvest by all gear types, including hatchery cost recovery, totaled approximately 28.8 million fish in 2006 (Table 3). The 2006 harvest by species compared to 2005 was as follows: Chinook 83%, sockeye 83%, coho 70%, pink 20%, and chum salmon 208%. The Region I total commercial salmon harvest proportion consisted of Chinook (1%), sockeye (5%), coho (7%), pink (40%), and chum salmon (46%) (Table 1). The 2006 combined gear, large Chinook harvest of 368,757 fish is 117% of the 10-year average. The 1.3 million sockeye salmon harvest is 78% of the 10-year average. The coho salmon harvest of almost 2.1 million fish is 72% of the 10-year average. The pink salmon harvest of 11.7 million is the lowest harvest since 1988 and is 23% of the 10-year average. The chum salmon harvest of 6.4 million fish is the 5th highest chum harvest and 112% of the 10-year average.(Table 1).

HARVEST BY GEAR TYPE

The 2006 Region I salmon harvest by gear type and species are summarized in Tables 4 through 9. Salmon landed by purse seiners accounted for 56% of the total salmon harvest, followed by hatchery cost recovery (17%) and drift gillnetters (17%) and trollers (6.5%) (Table 4). Trollers (hand and power) accounted for 76% of the regional landings of Chinook salmon and 65% of the coho salmon harvest (Tables 5 and 7). Of the total harvest, purse seiners harvested 31% of the sockeye, 87% of the pink, and 42% of the chum salmon in Region I (Tables 6, 8, and 9). Drift gillnetters accounted for 47% of the sockeye and 23% of the chum salmon harvested (Tables 6 and 9). The set gillnet harvest of 10% of the sockeye and 4% of the coho salmon regional harvest (Tables 6 and 7). Approximately 3% of the Chinook salmon and 32% of the chum salmon harvest was taken in the hatchery cost recovery fisheries (Tables 5 and 9).

EXVESSEL VALUE

The exvessel value (wholesale fish ticket value) of the 2006 Region I commercial salmon harvest was estimated at \$91.2 million, a 38% increase from 2005 (Table 10; Figure 6). The exvessel estimate is considered conservative because it is based on the price reported on fish tickets and does not include subsequent price adjustments. The actual exvessel value, possibly 10 to 20% higher, will not be known until final processor reports are received and analyzed by the Commercial Fisheries Entry Commission (CFEC).

The exvessel value by gear was highest for troll (\$31.6 million), followed by seine (\$24 million), drift gillnet (\$19.5 million), hatchery cost recovery (\$13 million), set gillnet (\$1.7 million), and Annette Island/Miscellaneous (\$1.3 million) (Table 10). The total regional harvest of salmon was valued at approximately: Chinook \$18.7 million, sockeye \$8.2 million, coho \$20.1 million, pink \$5.8 million, and chum salmon \$38.2 million (Table 10). Historical exvessel values are presented in Table 11.

SUBSISTENCE AND PERSONAL USE SALMON FISHERIES

A total of 3,273 subsistence and subsistence/personal use combined salmon permits were issued in the Southeast Alaska (Registration Area A) portion of the region in 2006 (Table 12). This included 379 Haines management area subsistence permits and 2,894 subsistence/personal use combined permits, including: Juneau (949), Ketchikan (742), Sitka (864), Petersburg (250), and Wrangell (89) management areas. With 77% of permits returned, the preliminary reported harvest of 45,557 salmon included 8,004 fish in the Haines subsistence fishery and 37,553 fish in the subsistence/personal use combined fisheries, which include: Juneau (6,560), Ketchikan (7,741), Sitka (19,810), Petersburg (2,775), and Wrangell (667). Sockeye salmon made up 76% of the total regional harvest (Figure 7). The harvest numbers are not finalized until the following year when more permits are returned.

During 2006, a total of 124 subsistence permits were issued for the Yakutat area (Registration area D) (Table 13). Yakutat subsistence permits are not required to be returned until the spring of the following year and only 40% of the permits have been returned and entered at this time. The average sockeye salmon harvest from 1975 through 2005 is 2,676 fish and averages 61% of the subsistence salmon harvest. (Table 13).

REFERENCE CITED

Bachman, R., W. Bergmann, J. Breese, W. Davidson, P. Doherty, S. Forbes, D. Gordon, D. Harris, K. Jensen, K. Monagle, L. Shaul, P. Skannes, T. Thynes, A. Tingley, and G. Woods. 2005. 2005 Commercial, personal use, and subsistence salmon fisheries: Report to the Alaska Board of Fisheries. Alaska Department of Fish and Game, Fishery Management Report No. 05-68, Anchorage. <http://www.sf.adfg.state.ak.us/FedAidPDFs/fmr05-68.pdf>

TABLES AND FIGURES

Table 1.—Southeast Alaska region annual total commercial salmon harvest and percentages of the total, in numbers, by species, from 1960 to 2006.

| Year | Chinook ^a | | Sockeye | | Coho | | Pink | | Chum | | Total | | |
|------|----------------------|-------------------|---------|-----|-----------|-----|-----------|-----|------------|-----|-----------|-----|------------|
| | ≥28" | ≤21" ^b | | | | | | | | | | | |
| 1960 | 301,344 | 6% | - | - | 533,118 | 10% | 681,604 | 13% | 2,712,146 | 53% | 932,430 | 18% | 5,160,642 |
| 1961 | 220,397 | 1% | - | - | 682,292 | 4% | 833,609 | 5% | 11,459,298 | 73% | 2,446,331 | 16% | 15,641,927 |
| 1962 | 196,650 | 1% | - | - | 727,437 | 5% | 1,156,277 | 8% | 11,255,790 | 74% | 1,837,010 | 12% | 15,173,164 |
| 1963 | 257,706 | 1% | - | - | 675,750 | 3% | 1,265,328 | 6% | 19,115,942 | 84% | 1,470,239 | 6% | 22,784,965 |
| 1964 | 357,139 | 2% | - | - | 919,124 | 4% | 1,586,258 | 7% | 18,580,259 | 80% | 1,927,834 | 8% | 23,370,614 |
| 1965 | 287,109 | 2% | - | - | 1,076,998 | 7% | 1,543,807 | 10% | 10,879,097 | 71% | 1,466,256 | 10% | 15,253,267 |
| 1966 | 308,042 | 1% | - | - | 1,046,075 | 4% | 1,218,827 | 5% | 20,350,917 | 78% | 3,227,402 | 12% | 26,151,263 |
| 1967 | 300,938 | 4% | - | - | 966,398 | 14% | 864,250 | 12% | 3,109,343 | 44% | 1,806,940 | 26% | 7,047,869 |
| 1968 | 331,511 | 1% | - | - | 826,195 | 3% | 1,539,686 | 5% | 25,077,871 | 82% | 2,636,207 | 9% | 30,411,470 |
| 1969 | 312,761 | 4% | - | - | 811,654 | 11% | 595,187 | 8% | 4,872,385 | 68% | 560,595 | 8% | 7,152,582 |
| 1970 | 322,418 | 2% | - | - | 667,963 | 5% | 755,871 | 5% | 10,619,295 | 72% | 2,428,112 | 16% | 14,793,659 |
| 1971 | 333,138 | 3% | - | - | 622,746 | 5% | 910,535 | 7% | 9,355,233 | 71% | 1,945,606 | 15% | 13,167,258 |
| 1972 | 287,621 | 2% | - | - | 918,904 | 5% | 1,511,041 | 8% | 12,393,119 | 69% | 2,943,415 | 16% | 18,054,100 |
| 1973 | 343,512 | 3% | - | - | 1,005,609 | 10% | 834,541 | 8% | 6,458,875 | 62% | 1,765,064 | 17% | 10,407,601 |
| 1974 | 347,118 | 4% | - | - | 687,641 | 8% | 1,277,154 | 14% | 4,889,146 | 55% | 1,673,117 | 19% | 8,874,176 |
| 1975 | 301,006 | 5% | - | - | 244,855 | 4% | 427,457 | 8% | 4,030,028 | 71% | 687,687 | 12% | 5,691,033 |
| 1976 | 240,628 | 3% | - | - | 594,075 | 7% | 823,342 | 10% | 5,334,159 | 66% | 1,030,580 | 13% | 8,022,784 |
| 1977 | 284,157 | 2% | - | - | 1,089,916 | 6% | 918,161 | 5% | 13,904,838 | 82% | 736,024 | 4% | 16,933,096 |
| 1978 | 401,418 | 2% | - | - | 788,319 | 3% | 1,714,508 | 7% | 21,243,378 | 85% | 868,963 | 3% | 25,016,586 |
| 1979 | 367,532 | 2% | - | - | 1,073,401 | 7% | 1,284,613 | 9% | 10,975,941 | 75% | 888,270 | 6% | 14,589,757 |
| 1980 | 324,362 | 2% | - | - | 1,106,039 | 6% | 1,116,237 | 6% | 14,500,376 | 78% | 1,642,938 | 9% | 18,689,952 |
| 1981 | 268,481 | 1% | - | - | 1,072,201 | 5% | 1,358,775 | 6% | 19,038,208 | 84% | 837,240 | 4% | 22,574,905 |
| 1982 | 290,295 | 1% | - | - | 1,480,597 | 5% | 2,086,225 | 7% | 24,244,823 | 82% | 1,330,220 | 5% | 29,432,160 |
| 1983 | 289,734 | 1% | 139 | - | 1,557,510 | 4% | 1,930,573 | 5% | 37,545,837 | 88% | 1,170,125 | 3% | 42,493,918 |
| 1984 | 270,348 | 1% | - | - | 1,215,913 | 4% | 1,909,447 | 6% | 24,705,370 | 77% | 4,084,257 | 13% | 32,185,335 |
| 1985 | 253,722 | <1% | - | - | 1,863,722 | 3% | 2,597,802 | 4% | 51,959,321 | 87% | 3,275,417 | 5% | 59,949,984 |
| 1986 | 262,431 | <1% | 1,158 | <1% | 1,442,984 | 3% | 3,404,079 | 6% | 46,172,277 | 84% | 3,358,991 | 6% | 54,641,920 |

-continued-

9

Table 1.–Page 2 of 2.

| Year | Chinook ^a | | Sockeye | | Coho | | Pink | | Chum | | Total | | |
|-----------------------|----------------------|-------------------|---------|------|-----------|------|-----------|------|------------|------|------------|------|------------|
| | ≥28" | ≤21" ^b | | | | | | | | | | | |
| 1987 | 261,357 | 2% | 1,792 | <1% | 1,377,717 | 9% | 1,543,353 | 10% | 10,280,422 | 64% | 2,721,664 | 17% | 16,186,305 |
| 1988 | 263,904 | 2% | 988 | <1% | 1,460,419 | 8% | 1,046,662 | 6% | 11,207,162 | 64% | 3,535,594 | 20% | 17,514,729 |
| 1989 | 280,062 | <1% | 4,138 | <1% | 2,124,838 | 3% | 2,204,044 | 3% | 59,460,203 | 90% | 1,968,890 | 3% | 66,042,175 |
| 1990 | 343,285 | 1% | 3,776 | <1% | 2,155,717 | 5% | 2,868,218 | 7% | 32,342,002 | 81% | 2,217,894 | 6% | 39,930,892 |
| 1991 | 325,536 | <1% | 5,574 | <1% | 2,063,585 | 3% | 3,197,004 | 5% | 61,926,339 | 87% | 3,336,042 | 5% | 70,854,080 |
| 1992 | 233,993 | 1% | 2,363 | <1% | 2,666,422 | 6% | 3,696,207 | 8% | 34,963,308 | 75% | 4,936,516 | 11% | 46,498,809 |
| 1993 | 279,739 | <1% | 3,962 | <1% | 3,190,960 | 4% | 3,665,435 | 5% | 57,299,350 | 79% | 7,879,870 | 11% | 72,319,316 |
| 1994 | 242,284 | <1% | 6,336 | <1% | 2,392,412 | 3% | 5,720,885 | 8% | 57,274,877 | 75% | 10,403,083 | 14% | 76,039,877 |
| 1995 | 218,454 | <1% | 1,978 | <1% | 1,795,331 | 3% | 3,345,678 | 5% | 47,965,506 | 74% | 11,225,693 | 17% | 64,552,640 |
| 1996 | 213,640 | <1% | 947 | <1% | 2,799,848 | 3% | 3,156,938 | 4% | 64,629,714 | 74% | 16,043,381 | 18% | 86,844,468 |
| 1997 | 303,898 | 1% | 558 | <1% | 2,477,416 | 5% | 1,974,507 | 4% | 28,983,276 | 64% | 11,789,226 | 26% | 45,466,837 |
| 1998 | 232,906 | <1% | 1,705 | <1% | 1,375,356 | 2% | 2,989,080 | 5% | 42,535,402 | 68% | 15,695,285 | 25% | 62,829,734 |
| 1999 | 195,039 | <1% | 3,046 | <1% | 1,160,730 | 1% | 3,630,234 | 4% | 77,848,279 | 80% | 14,930,937 | 15% | 97,768,265 |
| 2000 | 232,541 | <1% | 1,349 | <1% | 1,229,354 | 3% | 1,957,030 | 5% | 20,313,426 | 51% | 15,911,226 | 40% | 39,644,926 |
| 2001 | 243,215 | <1% | 2,585 | <1% | 2,035,230 | 3% | 3,300,950 | 4% | 67,055,991 | 82% | 8,754,416 | 11% | 81,392,387 |
| 2002 | 386,334 | <1% | 1,583 | <1% | 806,447 | 1% | 3,242,498 | 6% | 45,331,007 | 79% | 7,455,007 | 13% | 57,194,144 |
| 2003 | 416,659 | <1% | 1,188 | <1% | 1,525,356 | 2% | 2,498,375 | 4% | 52,515,632 | 77% | 11,115,085 | 16% | 68,072,295 |
| 2004 | 483,328 | <1% | 697 | <1% | 2,037,618 | 3% | 3,083,486 | 5% | 45,374,322 | 73% | 11,329,396 | 18% | 62,308,847 |
| 2005 | 444,775 | 1% | 3,385 | <1% | 1,607,822 | 2% | 2,993,307 | 4% | 59,039,645 | 84% | 6,437,058 | 9% | 70,525,992 |
| Average 1960–2005 | 297,010 | 1% | 2,345 | <1% | 1,347,392 | 4% | 2,005,632 | 5% | 28,720,199 | 77% | 4,710,077 | 13% | 37,079,407 |
| Average 1996–2005 | 315,234 | <1% | 1,704 | <1% | 1,705,518 | 3% | 2,882,641 | 4% | 50,362,669 | 75% | 11,946,102 | 18% | 67,204,790 |
| Max. harvest and year | 483,328 | 2004 | 6,336 | 1994 | 3,190,960 | 1993 | 5,720,885 | 1994 | 77,848,279 | 1999 | 16,043,381 | 1996 | |
| Min. harvest and year | 195,039 | 1999 | 558 | 1997 | 244,855 | 1975 | 427,457 | 1975 | 2,712,146 | 1960 | 560,595 | 1969 | |
| 2006 | 368,757 | 1% | 2,621 | <1% | 1,333,496 | 5% | 2,085,829 | 7% | 11,651,108 | 40% | 13,362,310 | 46% | 28,804,121 |

^a Chinook troll harvest is calendar year for 1960 through September 1979, and by season (Oct. 1-SePoint 30) for 1980-2006).

^b Data from 1986-2006 used in calculations.

7

Table 2.—Number of active limited entry and interim use permits issued and fished in the Southeast Alaska and Yakutat salmon fisheries, from 1977 to 2006.

| Year | Number of Permits ^{a,b} | | | | | | | | | |
|-------------------|----------------------------------|--------|---------------|--------|-------------|--------|-------------------------|--------|--------------------------|--------|
| | Purse Seine | | Drift Gillnet | | Set Gillnet | | Hand Troll ^c | | Power Troll ^c | |
| | Issued | Fished | Issued | Fished | Issued | Fished | Issued | Fished | Issued | Fished |
| 1977 | 414 | 325 | 474 | 438 | 159 | 144 | 2,953 | 1,836 | 970 | 750 |
| 1978 | 420 | 376 | 491 | 474 | 164 | 155 | 3,923 | 2,624 | 976 | 816 |
| 1979 | 418 | 319 | 491 | 449 | 167 | 155 | 3,702 | 2,207 | 980 | 919 |
| 1980 | 418 | 335 | 489 | 445 | 167 | 159 | 2,436 | 1,667 | 974 | 842 |
| 1981 | 418 | 364 | 487 | 447 | 167 | 158 | 2,048 | 1,153 | 970 | 793 |
| 1982 | 421 | 370 | 487 | 431 | 164 | 147 | 1,914 | 1,067 | 968 | 810 |
| 1983 | 421 | 338 | 481 | 432 | 165 | 145 | 2,150 | 946 | 968 | 810 |
| 1984 | 423 | 383 | 481 | 437 | 164 | 140 | 2,147 | 860 | 963 | 795 |
| 1985 | 420 | 368 | 485 | 446 | 164 | 148 | 2,030 | 903 | 963 | 830 |
| 1986 | 420 | 368 | 488 | 460 | 164 | 154 | 1,983 | 804 | 957 | 827 |
| 1987 | 420 | 381 | 486 | 465 | 165 | 154 | 1,937 | 763 | 957 | 828 |
| 1988 | 420 | 394 | 485 | 470 | 165 | 159 | 1,870 | 777 | 956 | 828 |
| 1989 | 420 | 365 | 485 | 466 | 166 | 160 | 1,817 | 694 | 955 | 830 |
| 1990 | 420 | 360 | 486 | 465 | 166 | 158 | 1,782 | 699 | 956 | 839 |
| 1991 | 420 | 383 | 485 | 465 | 168 | 161 | 1,741 | 700 | 959 | 847 |
| 1992 | 420 | 354 | 485 | 467 | 170 | 159 | 1,689 | 645 | 957 | 837 |
| 1993 | 419 | 382 | 482 | 460 | 171 | 157 | 1,633 | 600 | 956 | 836 |
| 1994 | 418 | 390 | 483 | 446 | 171 | 150 | 1,579 | 547 | 954 | 804 |
| 1995 | 418 | 373 | 483 | 452 | 171 | 147 | 1,540 | 460 | 954 | 818 |
| 1996 | 417 | 357 | 484 | 439 | 171 | 139 | 1,501 | 412 | 967 | 737 |
| 1997 | 416 | 351 | 482 | 423 | 170 | 141 | 1,459 | 387 | 968 | 740 |
| 1998 | 416 | 377 | 479 | 422 | 170 | 142 | 1,409 | 304 | 967 | 732 |
| 1999 | 416 | 359 | 481 | 430 | 170 | 128 | 1,370 | 338 | 965 | 721 |
| 2000 | 416 | 356 | 480 | 422 | 170 | 125 | 1,329 | 315 | 963 | 712 |
| 2001 | 415 | 345 | 482 | 433 | 169 | 114 | 1,295 | 307 | 965 | 701 |
| 2002 | 415 | 273 | 482 | 391 | 167 | 87 | 1,247 | 253 | 965 | 666 |
| 2003 | 416 | 235 | 477 | 375 | 167 | 104 | 1,189 | 265 | 965 | 637 |
| 2004 | 414 | 209 | 478 | 348 | 168 | 112 | 1,139 | 324 | 961 | 688 |
| 2005 | 415 | 232 | 478 | 368 | 168 | 114 | 1,108 | 353 | 961 | 715 |
| Average 1996–2005 | 416 | 309 | 480 | 405 | 169 | 121 | 1,305 | 326 | 965 | 705 |
| Preliminary 2006 | 414 | 234 | 477 | 361 | 167 | 105 | 1,104 | 371 | 961 | 740 |

^a Issued data provided by Commercial Fisheries Entry Commission (www.cfec.state.ak.us).

^b Fishing data provided by ADF&G Division of Commercial Fisheries Region Integrated Fisheries Database.

^c Hand and power troll permits fished are for the calendar year, not season.

Table 3.—Southeast Alaska region commercial salmon harvest, in numbers, by harvest type and fishery, 2006.

| Fishery | Large | Small | Sockeye | Coho | Pink | Chum | Total |
|---|-----------------|-----------------|-----------|-----------|------------|------------|------------|
| | Chinook >28" | Chinook <21" | | | | | |
| Total Purse seine | 24,730 | 1,240 | 413,938 | 109,498 | 10,090,260 | 5,614,232 | 16,253,898 |
| Southern Purse seine ^a Total | 19,472 | 184 | 346,241 | 62,628 | 2,569,607 | 1,803,244 | 4,801,376 |
| Traditional | 13,631 | 141 | 340,032 | 56,900 | 2,477,768 | 918,727 | 3,807,199 |
| Hatchery Terminal | 5,841 | 43 | 6,209 | 5,728 | 91,839 | 884,517 | 994,177 |
| Northern Purse seine ^b Total | 5,258 | 1,056 | 67,697 | 46,870 | 7,520,653 | 3,810,988 | 11,452,522 |
| Traditional | 920 | 370 | 58,632 | 41,732 | 6,768,648 | 1,134,888 | 8,005,190 |
| Hatchery Terminal | 4,338 | 686 | 9,065 | 5,138 | 752,005 | 2,676,100 | 3,447,332 |
| Total Drift Gillnet | 45,924 | 1,330 | 625,667 | 252,448 | 744,048 | 3,126,629 | 4,796,046 |
| Tree Point | 1,716 | 92 | 62,770 | 29,081 | 212,961 | 269,227 | 575,847 |
| Prince of Wales | 1,737 | 211 | 91,980 | 69,015 | 149,907 | 268,436 | 581,286 |
| Stikine | 29,225 | 861 | 61,298 | 34,430 | 56,810 | 343,637 | 526,261 |
| Taku-Snettisham | 11,105 | 136 | 134,781 | 59,421 | 185,102 | 381,837 | 772,382 |
| Lynn Canal | 326 | 1 | 140,703 | 54,760 | 84,855 | 695,541 | 976,186 |
| Hatchery Terminal | 1,815 | 29 | 134,135 | 5,741 | 54,413 | 1,167,951 | 1,364,084 |
| Set Gillnet | 1,195 | 13 | 138,510 | 86,085 | 88,864 | 1,225 | 315,892 |
| Total Troll ^c | 282,258 | | 8,084 | 1,362,915 | 60,323 | 153,545 | 1,867,125 |
| Hand Troll Total | 16,343 | | 242 | 74,377 | 3,429 | 437 | 94,828 |
| Traditional | 11,511 | | 242 | 74,184 | 3,425 | 426 | 89,788 |
| Hatchery Terminal | 644 | | | | | | 644 |
| Experimental | 4,188 | | | 193 | 4 | 11 | 4,396 |
| Power Troll Total | 265,915 | | 7,842 | 1,288,538 | 56,894 | 153,108 | 1,772,297 |
| Traditional | 232,811 | | 7,762 | 1,282,086 | 52,898 | 117,376 | 1,692,933 |
| Hatchery Terminal | 374 | | 3 | 2,716 | 209 | 10,515 | 13,817 |
| Experimental | 32,730 | | 77 | 3,736 | 3,787 | 25,217 | 65,547 |
| Total Annette Isl. Res. | 802 | 4 | 20,908 | 30,287 | 263,420 | 160,182 | 475,603 |
| Purse seine | 239 | 1 | 12,807 | 4,815 | 126,099 | 28,672 | 172,633 |
| Drift Gillnet | 506 | 3 | 8,101 | 25,404 | 137,321 | 131,510 | 302,845 |
| Total Annette Is. Troll ^c | 57 | 0 | 0 | 68 | 0 | 0 | 125 |
| Hand Troll | 23 | | | 37 | | | 60 |
| Power Troll | 34 | | | 31 | | | 65 |
| Trap | | | | | | | |
| Hatchery Cost Recovery | 12,449 | 30 | 124,109 | 240,017 | 360,731 | 4,280,579 | 5,017,915 |
| Miscellaneous ^d | 1,399 | 4 | 2,280 | 4,579 | 43,462 | 25,918 | 77,642 |
| Southern Totals ^e | 130,872 | 1,366 | 586,382 | 530,483 | 3,267,182 | 4,015,050 | 8,531,335 |
| Northern Totals ^f | 230,971 | 1,242 | 608,348 | 1,445,194 | 8,295,015 | 9,346,024 | 19,926,794 |
| Yakutat Totals ^g | 6,914 | 13 | 138,766 | 110,152 | 88,911 | 1,236 | 345,992 |
| Region Totals | 368,757 | 2,621 | 1,333,496 | 2,085,829 | 11,651,108 | 13,362,310 | 28,804,121 |

^a Districts 101–108.

^b Districts 109–114.

^c Harvest accounting period for the 2004 Chinook salmon season goes from October 1, 2003 through September 30, 2006.

^d Includes salmon that were confiscated, caught in sport fish derbies, or commercial test fisheries, and sold.

^e Districts 101–108, 150, and 152 (troll fishery Oct. 1–Sept 30).

^f Districts 109–116, 154, 156, and 157 (troll fishery Oct. 1–Sept 30).

^g Districts 181, 182, 183, 185, 186, 189, 191, 192 (troll fishery Oct. 1–Sept 30).

Table 4.—Southeast Alaska region annual commercial total salmon harvest by harvest type, in numbers and percent, from 1960 to 2006.

| Year ^a | Seine | | Driftnet | | Setnet | | Troll ^a | | Annette Is. | | Hatchery ^b | | Misc. ^c | | Total |
|-------------------|------------|-------|-----------|-------|---------|-------|--------------------|-------|-------------|-------|-----------------------|-------|--------------------|-------|------------|
| 1960 | 3,789,373 | (73%) | 432,438 | (8%) | 177,916 | (3%) | 707,570 | (14%) | 53,345 | (1%) | - | - | - | - | 5,160,642 |
| 1961 | 13,778,020 | (88%) | 766,804 | (5%) | 288,253 | (2%) | 627,467 | (4%) | 181,383 | (1%) | - | - | - | - | 15,641,927 |
| 1962 | 12,394,256 | (82%) | 1,010,200 | (7%) | 274,139 | (2%) | 896,277 | (6%) | 598,292 | (4%) | - | - | - | - | 15,173,164 |
| 1963 | 20,120,230 | (88%) | 1,232,700 | (5%) | 283,814 | (1%) | 1,051,912 | (5%) | 96,309 | (<1%) | - | - | - | - | 22,784,965 |
| 1964 | 20,060,487 | (86%) | 1,431,389 | (6%) | 302,962 | (1%) | 1,188,373 | (5%) | 387,403 | (2%) | - | - | - | - | 23,370,614 |
| 1965 | 12,490,889 | (82%) | 1,426,018 | (9%) | 252,443 | (2%) | 1,044,147 | (7%) | 39,770 | (<1%) | - | - | - | - | 15,253,267 |
| 1966 | 22,697,106 | (87%) | 1,658,535 | (6%) | 257,968 | (1%) | 880,209 | (3%) | 657,445 | (3%) | - | - | - | - | 26,151,263 |
| 1967 | 5,151,431 | (73%) | 880,264 | (12%) | 222,423 | (3%) | 782,935 | (11%) | 10,816 | (<1%) | - | - | - | - | 7,047,869 |
| 1968 | 27,306,485 | (90%) | 1,432,710 | (5%) | 189,474 | (1%) | 1,213,591 | (4%) | 269,210 | (1%) | - | - | - | - | 30,411,470 |
| 1969 | 5,100,084 | (71%) | 1,019,273 | (14%) | 239,486 | (3%) | 762,873 | (11%) | 30,866 | (<1%) | - | - | - | - | 7,152,582 |
| 1970 | 12,116,863 | (82%) | 1,756,060 | (12%) | 166,361 | (1%) | 644,570 | (4%) | 109,740 | (1%) | - | - | - | - | 14,793,594 |
| 1971 | 10,503,078 | (77%) | 1,595,052 | (12%) | 257,560 | (2%) | 811,568 | (6%) | 433,366 | (<1%) | - | - | - | - | 13,600,624 |
| 1972 | 14,259,003 | (79%) | 1,938,787 | (11%) | 199,356 | (1%) | 1,223,588 | (7%) | 433,366 | (2%) | - | - | - | - | 18,054,100 |
| 1973 | 7,311,874 | (70%) | 1,859,357 | (18%) | 198,960 | (2%) | 994,022 | (10%) | 43,385 | (<1%) | - | - | - | - | 10,407,598 |
| 1974 | 5,572,498 | (63%) | 1,570,936 | (18%) | 170,621 | (2%) | 1,446,708 | (16%) | 113,064 | (1%) | - | - | - | - | 8,873,827 |
| 1975 | 3,929,881 | (69%) | 868,518 | (15%) | 196,956 | (3%) | 582,077 | (10%) | 110,901 | (2%) | 2,700 | (<1%) | - | - | 5,691,033 |
| 1976 | 5,026,317 | (63%) | 1,372,788 | (17%) | 219,928 | (3%) | 955,233 | (12%) | 446,652 | (6%) | - | - | - | - | 8,020,918 |
| 1977 | 12,245,751 | (72%) | 2,523,128 | (15%) | 364,933 | (2%) | 1,075,489 | (6%) | 629,734 | (4%) | 92,459 | (1%) | - | - | 16,931,494 |
| 1978 | 19,596,101 | (78%) | 1,690,223 | (7%) | 309,944 | (1%) | 2,122,959 | (8%) | 1,293,536 | (5%) | - | - | 3,807 | (<1%) | 25,016,570 |
| 1979 | 9,955,755 | (68%) | 1,884,809 | (13%) | 424,247 | (3%) | 1,917,913 | (13%) | 359,761 | (2%) | 35,448 | (<1%) | 11,773 | (<1%) | 14,589,706 |
| 1980 | 13,579,693 | (73%) | 2,179,192 | (12%) | 445,334 | (2%) | 1,280,831 | (7%) | 1,191,723 | (6%) | 752 | | 10,177 | (<1%) | 18,687,702 |
| 1981 | 17,472,456 | (77%) | 2,094,807 | (9%) | 428,332 | (2%) | 1,708,369 | (8%) | 729,389 | (3%) | 137,749 | (1%) | 6,931 | (<1%) | 22,578,033 |
| 1982 | 23,750,598 | (81%) | 1,976,165 | (7%) | 379,365 | (1%) | 2,076,865 | (7%) | 1,227,906 | (4%) | 20,639 | (<1%) | 8,413 | (<1%) | 29,439,951 |
| 1983 | 35,376,038 | (83%) | 2,527,651 | (6%) | 271,593 | (1%) | 2,074,636 | (5%) | 2,091,874 | (5%) | 143,178 | (<1%) | 10,251 | (<1%) | 42,495,221 |
| 1984 | 24,332,275 | (76%) | 3,133,809 | (10%) | 337,983 | (1%) | 1,978,546 | (6%) | 1,736,331 | (5%) | 640,062 | (2%) | 10,557 | (<1%) | 32,169,563 |
| 1985 | 50,238,448 | (84%) | 4,117,020 | (7%) | 467,788 | (1%) | 2,842,091 | (5%) | 1,611,119 | (3%) | 640,062 | (1%) | 35,707 | (<1%) | 59,952,235 |
| 1986 | 46,156,636 | (84%) | 3,161,172 | (6%) | 268,174 | (<1%) | 2,606,524 | (5%) | 2,047,763 | (4%) | 367,868 | (1%) | 35,458 | (<1%) | 54,643,595 |
| 1987 | 8,691,660 | (54%) | 3,016,762 | (19%) | 413,943 | (3%) | 1,818,784 | (11%) | 538,333 | (3%) | 1,642,715 | (10%) | 90,459 | (<1%) | 16,212,656 |
| 1988 | 11,276,489 | (64%) | 2,605,532 | (15%) | 518,455 | (3%) | 1,327,935 | (8%) | 1,058,584 | (6%) | 645,811 | (4%) | 61,563 | (<1%) | 17,494,369 |
| 1989 | 54,315,514 | (82%) | 4,450,699 | (7%) | 580,479 | (1%) | 3,504,883 | (5%) | 2,691,297 | (4%) | 444,565 | (1%) | 43,401 | (<1%) | 66,030,838 |
| 1990 | 30,330,838 | (76%) | 2,917,511 | (7%) | 530,825 | (1%) | 2,965,476 | (7%) | 1,727,293 | (4%) | 1,414,924 | (4%) | 45,422 | (<1%) | 39,932,289 |
| 1991 | 62,191,634 | (88%) | 2,803,393 | (4%) | 404,417 | (1%) | 2,455,397 | (3%) | 1,127,702 | (2%) | 1,811,164 | (3%) | 68,797 | (<1%) | 70,862,504 |
| 1992 | 34,808,120 | (75%) | 3,832,020 | (8%) | 632,425 | (1%) | 2,886,859 | (6%) | 1,190,707 | (3%) | 3,094,606 | (7%) | 45,990 | (<1%) | 46,490,727 |
| 1993 | 60,196,878 | (83%) | 3,946,447 | (5%) | 598,618 | (1%) | 4,090,616 | (6%) | 1,725,815 | (2%) | 1,727,084 | (2%) | 49,886 | (<1%) | 72,335,344 |
| 1994 | 60,075,945 | (79%) | 4,255,756 | (6%) | 570,976 | (1%) | 4,923,149 | (6%) | 725,117 | (1%) | 5,386,836 | (7%) | 76,180 | (<1%) | 76,013,959 |
| 1995 | 51,650,711 | (80%) | 4,885,907 | (8%) | 514,753 | (1%) | 2,902,998 | (4%) | 2,165,624 | (3%) | 2,374,544 | (4%) | 53,726 | (<1%) | 64,548,263 |

-continued-

Table 4.–Page 2 of 2.

| Year^a | Seine | | Driftnet | | Setnet | | Troll^a | | Annette Is. | | Hatchery^b | | Misc.^c | | Total |
|-------------------------|--------------|-------|-----------------|-------|---------------|-------|--------------------------|------|--------------------|------|-----------------------------|-------|--------------------------|-------|--------------|
| 1996 | 72,547,199 | (84%) | 4,052,371 | (5%) | 474,783 | (1%) | 3,285,153 | (4%) | 1,066,239 | (1%) | 5,178,045 | (6%) | 71,601 | (<1%) | 86,675,391 |
| 1997 | 32,426,882 | (71%) | 3,861,436 | (8%) | 530,584 | (1%) | 2,310,028 | (5%) | 649,343 | (1%) | 5,655,779 | (12%) | 91,387 | (<1%) | 45,525,439 |
| 1998 | 49,057,331 | (78%) | 4,332,833 | (7%) | 365,039 | (1%) | 2,218,176 | (4%) | 1,070,302 | (2%) | 5,700,976 | (9%) | 89,256 | (<1%) | 62,833,913 |
| 1999 | 81,768,383 | (84%) | 4,347,194 | (4%) | 351,396 | (<1%) | 3,043,477 | (3%) | 1,068,721 | (1%) | 7,053,481 | (7%) | 139,129 | (<1%) | 97,771,781 |
| 2000 | 27,180,692 | (69%) | 3,917,053 | (10%) | 338,124 | (<1%) | 1,947,674 | (5%) | 1,128,736 | (3%) | 5,028,361 | (13%) | 95,943 | (<1%) | 39,636,583 |
| 2001 | 67,965,608 | (84%) | 4,138,347 | (5%) | 382,060 | (<1%) | 2,740,633 | (3%) | 2,224,126 | (3%) | 3,854,849 | (5%) | 89,800 | (<1%) | 81,395,423 |
| 2002 | 45,891,149 | (80%) | 3,129,105 | (5%) | 331,848 | (<1%) | 1,847,208 | (3%) | 1,548,231 | (3%) | 4,378,603 | (8%) | 98,216 | (<1%) | 57,194,144 |
| 2003 | 55,331,699 | (81%) | 3,926,523 | (6%) | 281,529 | (<1%) | 2,004,764 | (3%) | 674,026 | (1%) | 5,759,988 | (8%) | 93,598 | (<1%) | 68,072,127 |
| 2004 | 49,621,064 | (80%) | 3,908,839 | (6%) | 312,708 | (<1%) | 2,490,170 | (4%) | 876,978 | (1%) | 4,975,446 | (8%) | 104,429 | (<1%) | 62,289,634 |
| 2005 | 59,801,619 | (83%) | 3,832,651 | (5%) | 223,835 | (<1%) | 2,670,351 | (4%) | 706,778 | (1%) | 4,975,446 | (7%) | 146,956 | (<1%) | 72,357,636 |
| Average 1960–2005 | 29,770,457 | (80%) | 2,602,178 | (7%) | 346,807 | (1%) | 1,889,806 | (5%) | 889,096 | (2%) | 2,523,591 | (7%) | 60,315 | (<1%) | 37,125,360 |
| Max. harvest | 81,768,383 | 1999 | 4,885,907 | 1995 | 632,425 | 1992 | 4,923,149 | 1994 | 2,691,297 | 1989 | 7,053,481 | 1999 | 146,956 | 2005 | |
| Min. harvest | 3,789,373 | 1960 | 432,438 | 1960 | 166,361 | 1970 | 582,077 | 1975 | 10,816 | 1967 | 752 | 1980 | 3,807 | 1978 | |
| 2006 | 16,253,898 | 56% | 4,796,046 | 17% | 315,892 | 1% | 1,867,125 | 6% | 475,603 | 2% | 5,017,915 | 17% | 77,642 | (<1%) | 28,804,121 |

^a Salmon harvest by calendar year.

^b Includes salmon caught and sold in private, state and federal hatchery's fisheries and carcass sales.

^c Includes salmon that were confiscated, caught in sportfish derbies, or commercial test fisheries, and sold.

Table 5.—Southeast Alaska region annual commercial total Chinook salmon harvest by harvest type, in numbers and percent, from 1960 to 2006.

| Year | Seine | | Driftnet | | Setnet | | Troll ^a | | Annette Is. | | Hatchery ^b | | Misc. ^c | | Total ^d |
|------|--------|-----|----------|----|--------|-------|--------------------|-----|-------------|-------|-----------------------|-------|--------------------|-------|--------------------|
| 1960 | 6,509 | 2% | 11,523 | 4% | 908 | (<1%) | 282,404 | 94% | | | | | | | 301,344 |
| 1961 | 4,134 | 2% | 9,440 | 4% | 2,534 | 1% | 204,289 | 93% | | | | | | | 220,397 |
| 1962 | 10,145 | 5% | 10,161 | 5% | 2,747 | 1% | 173,597 | 88% | | | | | | | 196,650 |
| 1963 | 6,659 | 3% | 6,427 | 2% | 941 | (<1%) | 243,679 | 95% | | | | | | | 257,706 |
| 1964 | 16,819 | 5% | 9,371 | 3% | 1,488 | (<1%) | 329,461 | 92% | | | | | | | 357,139 |
| 1965 | 14,992 | 5% | 11,892 | 4% | 1,323 | (<1%) | 258,902 | 90% | | | | | | | 287,109 |
| 1966 | 11,874 | 4% | 12,527 | 4% | 1,555 | 1% | 282,083 | 92% | 3 | (<1%) | | | | | 308,042 |
| 1967 | 9,054 | 3% | 16,464 | 5% | 742 | (<1%) | 274,678 | 91% | | | | | | | 300,938 |
| 1968 | 13,335 | 4% | 12,902 | 4% | 697 | (<1%) | 304,455 | 92% | 122 | (<1%) | | | | | 331,511 |
| 1969 | 6,731 | 2% | 15,175 | 5% | 1,935 | 1% | 288,920 | 92% | | | | | | | 312,761 |
| 1970 | 5,909 | 2% | 9,449 | 3% | 2,299 | 1% | 304,707 | 95% | | | | | | | 322,364 |
| 1971 | 4,799 | 1% | 15,681 | 5% | 2,062 | 1% | 310,596 | 93% | | | | | | | 333,138 |
| 1972 | 16,730 | 6% | 25,125 | 9% | 2,467 | 1% | 243,150 | 85% | 149 | (<1%) | | | | | 287,621 |
| 1973 | 8,754 | 3% | 24,501 | 7% | 2,733 | 1% | 307,499 | 90% | 25 | (<1%) | | | | | 343,512 |
| 1974 | 6,750 | 2% | 15,483 | 4% | 2,214 | 1% | 322,652 | 93% | 15 | (<1%) | | | | | 347,114 |
| 1975 | 2,056 | 1% | 9,077 | 3% | 2,224 | 1% | 287,646 | 96% | 3 | (<1%) | | | | | 301,006 |
| 1976 | 1,428 | 1% | 7,224 | 3% | 1,830 | 1% | 230,101 | 96% | 45 | (<1%) | | | | | 240,628 |
| 1977 | 5,242 | 2% | 5,578 | 2% | 2,549 | 1% | 270,714 | 95% | 72 | (<1%) | | | | | 284,155 |
| 1978 | 13,972 | 3% | 8,266 | 2% | 3,057 | 1% | 375,427 | 94% | 197 | (<1%) | | | 486 | (<1%) | 401,405 |
| 1979 | 10,079 | 3% | 13,738 | 4% | 4,232 | 1% | 338,299 | 92% | 339 | (<1%) | | | 832 | (<1%) | 367,519 |
| 1980 | 11,701 | 4% | 5,433 | 2% | 2,800 | 1% | 301,387 | 94% | 180 | (<1%) | | | 611 | (<1%) | 322,112 |
| 1981 | 10,264 | 4% | 6,317 | 2% | 2,069 | 1% | 251,910 | 93% | 301 | (<1%) | | | 748 | (<1%) | 271,609 |
| 1982 | 30,529 | 10% | 14,710 | 5% | 1,456 | (<1%) | 249,590 | 84% | 838 | (<1%) | | | 963 | (<1%) | 298,086 |
| 1983 | 13,578 | 5% | 4,734 | 2% | 976 | (<1%) | 271,515 | 93% | 367 | (<1%) | | | 6 | (<1%) | 291,176 |
| 1984 | 20,762 | 8% | 10,345 | 4% | 1,062 | (<1%) | 235,646 | 87% | 236 | (<1%) | 937 | (<1%) | 1,263 | (<1%) | 270,251 |
| 1985 | 21,535 | 8% | 10,386 | 4% | 1,231 | (<1%) | 218,577 | 85% | 713 | (<1%) | 2,658 | 1% | 1,121 | (<1%) | 256,221 |
| 1986 | 13,271 | 5% | 8,441 | 3% | 1,428 | 1% | 239,373 | 90% | 121 | (<1%) | 1,093 | (<1%) | 1,537 | 1% | 265,264 |
| 1987 | 6,284 | 2% | 8,430 | 3% | 2,072 | 1% | 268,841 | 93% | 565 | (<1%) | 2,376 | 1% | 932 | (<1%) | 289,500 |
| 1988 | 12,165 | 5% | 9,079 | 4% | 893 | (<1%) | 210,761 | 86% | 941 | (<1%) | 9,649 | 4% | 1,044 | (<1%) | 244,532 |
| 1989 | 17,103 | 6% | 9,579 | 3% | 798 | (<1%) | 228,800 | 82% | 892 | (<1%) | 19,680 | 7% | 1,395 | (<1%) | 278,247 |
| 1990 | 14,777 | 4% | 14,693 | 4% | 663 | (<1%) | 289,403 | 83% | 1,840 | 1% | 26,692 | 8% | 390 | (<1%) | 348,458 |
| 1991 | 17,107 | 5% | 18,457 | 5% | 1,747 | 1% | 271,510 | 80% | 4,015 | 1% | 25,995 | 8% | 703 | (<1%) | 339,534 |
| 1992 | 20,320 | 9% | 11,285 | 5% | 2,025 | 1% | 175,351 | 77% | 1,210 | 1% | 16,723 | 7% | 1,371 | 1% | 228,285 |
| 1993 | 12,291 | 4% | 18,011 | 6% | 1,311 | (<1%) | 241,479 | 81% | 639 | (<1%) | 23,252 | 8% | 2,746 | 1% | 299,729 |

-continued-

Table 5.–Page 2 of 2.

| Year | Seine | | Driftnet | | Setnet | | Troll^a | | Annette Is. | | Hatchery^b | | Misc.^c | | Total |
|---------------------|--------------|------|-----------------|------|---------------|-------|--------------------------|------|--------------------|-------|-----------------------------|------|--------------------------|-------|--------------|
| 1994 | 21,089 | 9% | 16,735 | 8% | 3,897 | 2% | 161,488 | 73% | 230 | (<1%) | 17,750 | 8% | 1,513 | 1% | 222,702 |
| 1995 | 26,777 | 12% | 13,342 | 6% | 9,374 | 4% | 133,743 | 62% | 133 | (<1%) | 31,405 | 15% | 1,281 | 1% | 216,055 |
| 1996 | 23,155 | 10% | 9,982 | 4% | 4,854 | 2% | 148,691 | 67% | 243 | (<1%) | 33,496 | 15% | 1,410 | 1% | 221,831 |
| 1997 | 10,841 | 4% | 11,006 | 4% | 3,264 | 1% | 242,960 | 81% | 505 | (<1%) | 30,144 | 10% | 2,294 | 1% | 301,014 |
| 1998 | 16,167 | 7% | 5,937 | 2% | 2,804 | 1% | 196,245 | 82% | 304 | (<1%) | 15,943 | 7% | 1,390 | 1% | 238,790 |
| 1999 | 20,850 | 10% | 8,983 | 4% | 5,108 | 3% | 149,723 | 74% | 744 | (<1%) | 15,100 | 7% | 1,093 | 1% | 201,601 |
| 2000 | 22,044 | 10% | 13,475 | 6% | 2,460 | 1% | 152,480 | 67% | 4,769 | 2% | 31,637 | 14% | 719 | (<1%) | 227,584 |
| 2001 | 22,314 | 9% | 13,638 | 5% | 2,631 | 1% | 159,234 | 63% | 4,156 | 2% | 49,028 | 19% | 783 | (<1%) | 251,784 |
| 2002 | 18,725 | 5% | 10,216 | 3% | 2,510 | 1% | 326,828 | 84% | 1,818 | (<1%) | 28,445 | 7% | 859 | (<1%) | 389,401 |
| 2003 | 25,236 | 9% | 10,704 | 4% | 3,842 | 1% | 324,733 | 72% | 780 | (<1%) | 45,723 | 14% | 868 | (<1%) | 411,886 |
| 2004 | 39,984 | 8% | 20,148 | 4% | 2,734 | 1% | 352,551 | 73% | 1,914 | (<1%) | 61,707 | 13% | 2,170 | (<1%) | 481,208 |
| 2005 | 20,404 | 4% | 53,160 | 12% | 718 | (<1%) | 352,551 | 77% | 1,914 | (<1%) | 29,586 | 6% | 1,922 | (<1%) | 460,255 |
| Average 1960–2005 | 14,462 | 5% | 12,766 | 4% | 2,288 | 1% | 256,275 | 86% | 895 | 0% | 23,592 | 8% | 1,159 | 0% | 298,460 |
| Max. harvest (year) | 39,984 | 2004 | 53,160 | 2005 | 9,374 | 1995 | 375,427 | 1978 | 4,769 | 2000 | 61,707 | 2004 | 2,746 | 1993 | |
| Min. harvest (year) | 1,428 | 1976 | 4,734 | 1983 | 663 | 1990 | 133,743 | 1995 | 3 | 1975 | 937 | 1984 | 6 | 1983 | |
| 2006 | 25,970 | 7% | 47,254 | 13% | 1,208 | (<1%) | 282,258 | 76% | 806 | (<1%) | 12,479 | 3% | 1,403 | (<1%) | 371,378 |

^a Calendar year.

^b Includes salmon harvested and sold in private, state and federal hatchery's fisheries and carcass sales. Data from 1984 to 2006 used in calculations.

^c Includes salmon that were confiscated, harvested in sport fish derbies, or commercial test fisheries, and sold. Data from 1978 to 2006 used in calculations.

Table 6.—Southeast Alaska region annual commercial total sockeye salmon harvest by harvest type, in numbers and percent, from 1960 to 2006.

| Year | Seine | | Driftnet | | Setnet | | Troll | | Annette Is. | | Hatchery ^a | | Misc. ^b | | Total |
|------|-----------|-------|-----------|-------|---------|-------|--------|-------|-------------|-------|-----------------------|-------|--------------------|-------|-----------|
| 1960 | 358,697 | (67%) | 127,058 | (24%) | 44,671 | (8%) | 939 | (<1%) | 1,753 | (<1%) | - | - | - | - | 533,118 |
| 1961 | 418,952 | (61%) | 169,724 | (25%) | 82,403 | (12%) | 1,264 | (<1%) | 9,949 | (1%) | - | - | - | - | 682,292 |
| 1962 | 411,748 | (57%) | 233,082 | (32%) | 73,937 | (10%) | 1,181 | (<1%) | 7,489 | (1%) | - | - | - | - | 727,437 |
| 1963 | 422,605 | (63%) | 194,420 | (29%) | 52,517 | (8%) | 2,014 | (<1%) | 4,194 | (1%) | - | - | - | - | 675,750 |
| 1964 | 570,250 | (62%) | 246,250 | (27%) | 90,175 | (10%) | 1,004 | (<1%) | 11,445 | (1%) | - | - | - | - | 919,124 |
| 1965 | 672,001 | (62%) | 279,349 | (26%) | 120,417 | (11%) | 1,872 | (<1%) | 3,359 | (<1%) | - | - | - | - | 1,076,998 |
| 1966 | 480,024 | (46%) | 334,702 | (32%) | 185,360 | (18%) | 679 | (<1%) | 45,310 | (4%) | - | - | - | - | 1,046,075 |
| 1967 | 600,602 | (62%) | 274,038 | (28%) | 88,431 | (9%) | 157 | (<1%) | 3,170 | (<1%) | - | - | - | - | 966,398 |
| 1968 | 494,851 | (60%) | 245,865 | (30%) | 80,776 | (10%) | 574 | (<1%) | 4,129 | (<1%) | - | - | - | - | 826,195 |
| 1969 | 338,357 | (42%) | 348,350 | (43%) | 123,540 | (15%) | 437 | (<1%) | 970 | (<1%) | - | - | - | - | 811,654 |
| 1970 | 308,198 | (46%) | 240,538 | (36%) | 115,795 | (17%) | 485 | (<1%) | 2,947 | (<1%) | - | - | - | - | 667,963 |
| 1971 | 162,253 | (26%) | 329,017 | (53%) | 130,547 | (21%) | 929 | (<1%) | 0 | (0%) | - | - | - | - | 622,746 |
| 1972 | 324,893 | (35%) | 450,148 | (49%) | 134,617 | (15%) | 1,068 | (<1%) | 8,178 | (<1%) | - | - | - | - | 918,904 |
| 1973 | 342,336 | (34%) | 532,485 | (53%) | 128,466 | (13%) | 1,204 | (<1%) | 1,118 | (<1%) | - | - | - | - | 1,005,609 |
| 1974 | 236,064 | (34%) | 364,312 | (53%) | 82,418 | (12%) | 2,215 | (<1%) | 2,615 | (<1%) | - | - | - | - | 687,624 |
| 1975 | 61,784 | (25%) | 108,574 | (44%) | 73,291 | (30%) | 584 | (<1%) | 622 | (0%) | - | - | - | - | 244,855 |
| 1976 | 135,192 | (23%) | 322,017 | (54%) | 130,603 | (22%) | 1,241 | (<1%) | 5,022 | (1%) | - | - | - | - | 594,075 |
| 1977 | 328,932 | (30%) | 541,443 | (50%) | 186,001 | (17%) | 5,713 | (1%) | 26,967 | (2%) | - | - | - | - | 1,089,056 |
| 1978 | 272,197 | (35%) | 358,917 | (46%) | 130,681 | (17%) | 2,804 | (<1%) | 23,619 | (3%) | - | - | 101 | (<1%) | 788,319 |
| 1979 | 397,137 | (37%) | 472,610 | (44%) | 164,813 | (15%) | 7,018 | (1%) | 31,345 | (3%) | - | - | 478 | (<1%) | 1,073,401 |
| 1980 | 510,956 | (46%) | 408,296 | (37%) | 159,564 | (14%) | 2,921 | (<1%) | 23,734 | (2%) | - | - | 568 | (<1%) | 1,106,039 |
| 1981 | 438,921 | (41%) | 438,824 | (41%) | 149,273 | (14%) | 7,476 | (1%) | 37,528 | (4%) | 1 | (<1%) | 178 | (<1%) | 1,072,201 |
| 1982 | 445,385 | (30%) | 749,348 | (51%) | 212,882 | (14%) | 2,459 | (<1%) | 70,317 | (5%) | 1 | (<1%) | 205 | (<1%) | 1,480,570 |
| 1983 | 776,695 | (50%) | 586,574 | (38%) | 152,571 | (10%) | 7,973 | (1%) | 32,478 | (2%) | 1 | (<1%) | 1,218 | (<1%) | 1,556,497 |
| 1984 | 457,206 | (38%) | 593,901 | (49%) | 102,565 | (8%) | 9,654 | (1%) | 49,740 | (4%) | 7 | (<1%) | 2,283 | (<1%) | 1,214,285 |
| 1985 | 716,342 | (38%) | 830,238 | (45%) | 234,896 | (13%) | 7,713 | (<1%) | 67,946 | (4%) | 18 | (<1%) | 6,569 | (<1%) | 1,863,722 |
| 1986 | 587,730 | (41%) | 658,611 | (46%) | 150,770 | (10%) | 6,883 | (<1%) | 36,510 | (3%) | 6 | (<1%) | 2,474 | (<1%) | 1,442,984 |
| 1987 | 310,282 | (23%) | 736,200 | (53%) | 259,989 | (19%) | 9,722 | (1%) | 54,186 | (4%) | 1,121 | (<1%) | 6,217 | (<1%) | 1,377,717 |
| 1988 | 654,748 | (45%) | 600,925 | (41%) | 162,168 | (11%) | 9,341 | (1%) | 30,979 | (2%) | 85 | (<1%) | 2,173 | (<1%) | 1,460,419 |
| 1989 | 823,178 | (39%) | 893,976 | (42%) | 329,454 | (16%) | 20,171 | (1%) | 50,496 | (2%) | 66 | (<1%) | 7,490 | (<1%) | 2,124,831 |
| 1990 | 965,918 | (45%) | 767,492 | (36%) | 344,606 | (16%) | 9,176 | (<1%) | 59,644 | (3%) | 75 | (<1%) | 8,806 | (<1%) | 2,155,717 |
| 1991 | 1,051,269 | (51%) | 711,874 | (34%) | 229,903 | (11%) | 9,805 | (<1%) | 45,130 | (2%) | 1,478 | (<1%) | 14,126 | (1%) | 2,063,585 |
| 1992 | 1,336,889 | (50%) | 922,069 | (35%) | 314,175 | (12%) | 22,854 | (1%) | 61,169 | (2%) | 2,108 | (<1%) | 7,158 | (<1%) | 2,666,422 |
| 1993 | 1,690,471 | (53%) | 1,021,899 | (32%) | 345,887 | (11%) | 25,337 | (1%) | 95,063 | (3%) | 7,595 | (<1%) | 4,708 | (<1%) | 3,190,960 |

-continued-

Table 6.–Page 2 of 2.

| Year | Seine | | Driftnet | | Setnet | | Troll | | Annette Is. | | Hatchery ^a | | Misc. ^b | | Total |
|---------------------|-----------|-------|-----------|-------|---------|-------|--------|-------|-------------|------|-----------------------|-------|--------------------|-------|-----------|
| 1994 | 1,430,610 | (60%) | 686,792 | (29%) | 206,683 | (9%) | 21,777 | (1%) | 41,615 | (2%) | 3,322 | (<1%) | 1,613 | (<1%) | 2,392,412 |
| 1995 | 907,120 | (51%) | 640,971 | (36%) | 153,723 | (9%) | 27,323 | (2%) | 55,503 | (3%) | 8,448 | (<1%) | 2,243 | (<1%) | 1,795,331 |
| 1996 | 1,514,523 | (54%) | 1,026,591 | (37%) | 209,029 | (7%) | 11,024 | (<1%) | 29,859 | (1%) | 6,636 | (<1%) | 2,186 | (<1%) | 2,799,848 |
| 1997 | 1,578,041 | (64%) | 645,516 | (26%) | 110,078 | (4%) | 39,430 | (2%) | 41,365 | (2%) | 58,879 | (2%) | 4,107 | (<1%) | 2,477,416 |
| 1998 | 732,790 | (53%) | 501,291 | (36%) | 77,189 | (6%) | 6,474 | (<1%) | 16,554 | (1%) | 34,590 | (3%) | 6,468 | (<1%) | 1,375,356 |
| 1999 | 425,298 | (37%) | 545,681 | (47%) | 128,751 | (11%) | 5,730 | (<1%) | 21,867 | (2%) | 24,075 | (2%) | 9,328 | (1%) | 1,160,730 |
| 2000 | 489,221 | (40%) | 496,564 | (40%) | 99,182 | (8%) | 4,467 | (<1%) | 22,529 | (2%) | 107,244 | (9%) | 10,097 | (1%) | 1,229,304 |
| 2001 | 1,013,151 | (50%) | 686,533 | (34%) | 141,449 | (7%) | 8,992 | (<1%) | 41,245 | (2%) | 138,233 | (7%) | 4,684 | (<1%) | 2,034,287 |
| 2002 | 154,478 | (19%) | 464,138 | (59%) | 112,656 | (14%) | 1,247 | (<1%) | 34,821 | (4%) | 36,859 | (2%) | 2,248 | (<1%) | 806,447 |
| 2003 | 681,418 | (45%) | 598,679 | (59%) | 154,384 | (14%) | 4,596 | (<1%) | 7,806 | (4%) | 75,869 | (2%) | 2,604 | (<1%) | 1,525,356 |
| 2004 | 900,557 | (44%) | 797,969 | (39%) | 88,282 | 4% | 5,009 | (<1%) | 30,743 | (2%) | 210,665 | (10%) | 4,393 | (<1%) | 2,037,618 |
| 2005 | 898,490 | (56%) | 462,196 | (29%) | 79,221 | (5%) | 13,277 | (<1%) | 13,285 | (1%) | 140,270 | (9%) | 1,083 | (<1%) | 1,607,822 |
| Average 1960–2005 | 626,712 | (47%) | 514,045 | (38%) | 150,626 | (11%) | 7,266 | (1%) | 27,529 | (2%) | 34,306 | (3%) | 4,136 | (<1%) | 1,347,293 |
| Max harvest (year) | 1,690,471 | 1993 | 1,026,591 | 1996 | 345,887 | 1993 | 39,430 | 1997 | 95,063 | 1993 | 210,665 | 2004 | 14,126 | 1991 | |
| Min. harvest (year) | 61,784 | 1975 | 108,574 | 1975 | 44,671 | 1960 | 157 | 1967 | 0 | 1971 | 1 (1981–83) | 101 | 1978 | | |
| 2006 | 413,938 | (31%) | 625,667 | (47%) | 138,510 | (10%) | 8,084 | (1%) | 20,908 | (2%) | 124,109 | (9%) | 2,280 | (<1%) | 1,333,496 |

^a Includes salmon harvested and sold in private, state and federal hatchery's fisheries and carcass sales. Data from 1981 to 2006 used in calculations.

^b Includes salmon that were confiscated, harvested in sportfish derbies, or commercial test fisheries, and sold. Data from 1978 to 2006 used in calculations.

Table 7.—Southeast Alaska region annual commercial total coho salmon harvest by harvest type, in numbers and percent, from 1960 to 2006.

| Year | Seine | | Driftnet | | Setnet | | Troll | | Annette Is. | | Hatchery ^a | | Misc. ^b | | Total |
|------|---------|-----|----------|-----|---------|-----|-----------|-----|-------------|-------|-----------------------|-------|--------------------|-------|-----------|
| 1960 | 125,871 | 18% | 37,986 | 6% | 119,149 | 17% | 396,211 | 58% | 2,387 | (<1%) | | | | | 681,604 |
| 1961 | 246,524 | 30% | 52,743 | 6% | 128,670 | 15% | 399,932 | 48% | 5,740 | 1% | | | | | 833,609 |
| 1962 | 239,382 | 21% | 98,404 | 9% | 170,776 | 15% | 643,740 | 56% | 3,975 | (<1%) | | | | | 1,156,277 |
| 1963 | 316,449 | 25% | 112,776 | 9% | 141,365 | 11% | 693,050 | 55% | 1,688 | (<1%) | | | | | 1,265,328 |
| 1964 | 506,341 | 32% | 172,411 | 11% | 169,780 | 11% | 730,766 | 46% | 6,960 | (<1%) | | | | | 1,586,258 |
| 1965 | 556,981 | 36% | 166,452 | 11% | 122,207 | 8% | 695,887 | 45% | 2,280 | (<1%) | | | | | 1,543,807 |
| 1966 | 451,888 | 37% | 155,922 | 13% | 66,252 | 5% | 528,621 | 43% | 16,144 | 1% | | | | | 1,218,827 |
| 1967 | 188,959 | 22% | 134,029 | 16% | 97,211 | 11% | 443,677 | 51% | 374 | (<1%) | | | | | 864,250 |
| 1968 | 463,270 | 30% | 202,955 | 13% | 92,005 | 6% | 779,500 | 51% | 1,956 | (<1%) | | | | | 1,539,686 |
| 1969 | 109,956 | 18% | 65,101 | 11% | 32,555 | 5% | 388,443 | 65% | 400 | (<1%) | | | | | 596,455 |
| 1970 | 293,435 | 39% | 163,354 | 22% | 30,279 | 4% | 267,647 | 35% | 2,499 | (<1%) | | | | | 757,214 |
| 1971 | 325,772 | 35% | 158,957 | 17% | 37,848 | 4% | 391,279 | 43% | 4,706 | (<1%) | | | | | 918,562 |
| 1972 | 385,221 | 26% | 274,206 | 18% | 46,293 | 3% | 791,941 | 53% | 324 | (<1%) | | | | | 1,497,985 |
| 1973 | 128,220 | 15% | 123,948 | 15% | 41,776 | 5% | 540,125 | 65% | 1,006 | (<1%) | | | | | 835,075 |
| 1974 | 166,836 | 13% | 186,482 | 15% | 77,593 | 6% | 845,109 | 66% | 570 | (<1%) | | | | | 1,276,590 |
| 1975 | 70,193 | 16% | 102,372 | 24% | 37,403 | 9% | 214,219 | 50% | 1,354 | (<1%) | 2,700 | 1% | | | 428,241 |
| 1976 | 87,344 | 11% | 155,968 | 19% | 51,540 | 6% | 525,270 | 64% | 5,545 | (<1%) | | | | | 825,667 |
| 1977 | 130,902 | 14% | 183,044 | 20% | 92,230 | 10% | 506,432 | 55% | 8,671 | 1% | | | | | 921,279 |
| 1978 | 242,961 | 14% | 221,134 | 13% | 139,500 | 8% | 1,100,902 | 64% | 5,642 | (<1%) | | | 1,337 | (<1%) | 1,711,476 |
| 1979 | 176,354 | 14% | 81,324 | 6% | 95,866 | 7% | 918,832 | 72% | 5,263 | (<1%) | 5,893 | (<1%) | 665 | (<1%) | 1,284,197 |
| 1980 | 184,570 | 16% | 109,516 | 10% | 119,684 | 11% | 697,181 | 62% | 7,839 | (<1%) | | | 23 | (<1%) | 1,118,813 |
| 1981 | 237,402 | 17% | 114,535 | 8% | 132,579 | 10% | 860,867 | 63% | 14,245 | 1% | 5,003 | (<1%) | 550 | (<1%) | 1,365,181 |
| 1982 | 397,369 | 19% | 194,471 | 9% | 148,857 | 7% | 1,315,871 | 63% | 17,498 | 1% | 12,514 | (<1%) | 2,898 | (<1%) | 2,079,619 |
| 1983 | 340,381 | 17% | 210,332 | 11% | 81,573 | 4% | 1,276,370 | 65% | 25,123 | 1% | 4,220 | (<1%) | 199 | (<1%) | 1,949,191 |
| 1984 | 350,041 | 19% | 190,950 | 10% | 182,256 | 10% | 1,132,644 | 60% | 30,849 | 2% | 26,836 | 0% | | | 1,890,960 |
| 1985 | 417,852 | 16% | 309,380 | 12% | 202,783 | 8% | 1,599,695 | 61% | 75,384 | 3% | 33,386 | 1% | 3,685 | (<1%) | 2,642,165 |
| 1986 | 568,410 | 17% | 395,889 | 12% | 92,097 | 3% | 2,127,172 | 63% | 35,790 | 1% | 143,799 | 4% | 1,328 | (<1%) | 3,364,485 |
| 1987 | 121,974 | 8% | 165,249 | 11% | 124,407 | 8% | 1,041,020 | 69% | 8,681 | 1% | 50,465 | 3% | 4,448 | (<1%) | 1,516,244 |
| 1988 | 157,003 | 15% | 163,808 | 15% | 205,926 | 19% | 500,202 | 47% | 23,870 | 2% | 7,539 | 1% | 3,503 | (<1%) | 1,061,851 |
| 1989 | 330,989 | 15% | 234,423 | 11% | 176,773 | 8% | 1,415,517 | 64% | 35,104 | 2% | 18,921 | 1% | 3,551 | (<1%) | 2,215,278 |
| 1990 | 372,471 | 13% | 351,039 | 12% | 148,891 | 5% | 1,832,415 | 63% | 63,146 | 2% | 125,762 | 4% | 2,536 | (<1%) | 2,896,260 |
| 1991 | 405,592 | 13% | 545,376 | 17% | 166,731 | 5% | 1,718,319 | 54% | 71,282 | 2% | 294,490 | 9% | 3,350 | (<1%) | 3,205,140 |
| 1992 | 488,399 | 13% | 645,159 | 18% | 290,095 | 8% | 1,929,830 | 53% | 32,690 | 1% | 268,913 | 7% | 2,529 | (<1%) | 3,657,615 |
| 1993 | 473,138 | 13% | 417,681 | 11% | 237,446 | 6% | 2,395,874 | 65% | 48,900 | 1% | 106,476 | 3% | 2,117 | (<1%) | 3,681,632 |

-continued-

Table 7.–Page 2 of 2.

| Year | Seine | | Driftnet | | Setnet | | Troll | | Annette Is. | | Hatchery^a | | Misc.^b | | Total |
|---------------------|--------------|------|-----------------|------|---------------|------|--------------|------|--------------------|------|-----------------------------|------|--------------------------|-------|--------------|
| 1994 | 967,691 | 17% | 698,125 | 12% | 343,843 | 6% | 3,466,726 | 61% | 51,452 | 1% | 188,847 | 3% | 6,753 | (<1%) | 5,723,437 |
| 1995 | 617,777 | 19% | 415,158 | 12% | 295,030 | 9% | 1,750,167 | 52% | 42,044 | 1% | 215,431 | 6% | 663 | (<1%) | 3,336,270 |
| 1996 | 441,457 | 14% | 368,570 | 12% | 227,802 | 7% | 1,906,299 | 61% | 30,846 | 1% | 166,941 | 5% | 3,825 | (<1%) | 3,145,740 |
| 1997 | 183,773 | 9% | 131,240 | 7% | 322,776 | 16% | 1,170,288 | 59% | 39,467 | 2% | 135,179 | 7% | 405 | (<1%) | 1,983,128 |
| 1998 | 464,716 | 15% | 412,446 | 14% | 197,629 | 7% | 1,636,711 | 55% | 49,365 | 2% | 234,675 | 8% | 3,436 | (<1%) | 2,998,978 |
| 1999 | 416,415 | 12% | 351,559 | 10% | 187,055 | 5% | 2,272,461 | 63% | 18,189 | 1% | 349,239 | 10% | 4,140 | (<1%) | 3,599,058 |
| 2000 | 206,479 | 10% | 167,623 | 8% | 170,948 | 9% | 1,125,219 | 56% | 57,055 | 3% | 268,171 | 13% | 399 | (<1%) | 1,995,894 |
| 2001 | 542,643 | 16% | 294,050 | 9% | 205,233 | 6% | 1,845,201 | 56% | 57,055 | 2% | 350,565 | 11% | 2,936 | (<1%) | 3,297,683 |
| 2002 | 469,438 | 14% | 435,538 | 13% | 200,838 | 6% | 1,312,339 | 41% | 64,880 | 2% | 750,153 | 23% | 5,487 | (<1%) | 3,238,673 |
| 2003 | 394,154 | 16% | 434,231 | 17% | 74,343 | 3% | 1,223,458 | 49% | 39,879 | 2% | 328,650 | 13% | 3,643 | (<1%) | 2,498,358 |
| 2004 | 399,267 | 13% | 316,192 | 10% | 196,930 | 6% | 1,914,883 | 62% | 30,883 | 1% | 220,606 | 7% | 4,725 | (<1%) | 3,083,486 |
| 2005 | 341,279 | 11% | 272,873 | 9% | 82,887 | 3% | 2,034,874 | 68% | 35,204 | 1% | 221,880 | 7% | 4,310 | (<1%) | 2,993,307 |
| Average 1960–2005 | 337,033 | 17% | 243,369 | 12% | 143,602 | 7% | 1,158,765 | 58% | 23,570 | 1% | 168,046 | 8% | 2,720 | (<1%) | 2,006,105 |
| Max. harvest (year) | 967,691 | 1994 | 698,125 | 1994 | 343,843 | 1994 | 3,466,726 | 1994 | 75,384 | 1985 | 750,153 | 2002 | 6,753 | 1994 | |
| Min. harvest (year) | 70,193 | 1975 | 37,986 | 1960 | 30,279 | 1970 | 214,219 | 1975 | 324 | 1972 | 4,220 | 1983 | 23 | 1980 | |
| 2006 | 109,498 | 5% | 252,448 | 12% | 86,085 | 4% | 1,362,915 | 65% | 30,287 | 1% | 240,017 | 12% | 4,579 | (<1%) | 2,085,829 |

^a Includes salmon harvested and sold in private, state and federal hatchery's fisheries and carcass sales. Data from 1981 to 2006 used in calculations.

^b Includes salmon that were confiscated, harvested in sportfish derbies, or commercial test fisheries, and sold. Data from 1978 to 1983, 1985 to 2006 used in calculations.

Table 8.—Southeast Alaska region annual commercial total pink salmon harvest by harvest type, in numbers and percent, from 1960 to 2006.

| Year | Seine | | Driftnet | | Setnet | | Troll | | Annette Is. ^a | | Hatchery ^b | | Misc. ^c | Total | |
|------|------------|-------|-----------|-------|---------|-------|-----------|-------|--------------------------|-------|-----------------------|-------|--------------------|-------|------------|
| 1960 | 2,572,279 | (95%) | 55,984 | (2%) | 12,911 | (<1%) | 25,563 | (1%) | 45,409 | (2%) | - | - | - | - | 2,712,146 |
| 1961 | 10,936,344 | (95%) | 282,997 | (2%) | 63,608 | (1%) | 19,303 | (<1%) | 157,046 | (1%) | - | - | - | - | 11,459,298 |
| 1962 | 10,139,595 | (90%) | 435,132 | (4%) | 26,063 | (<1%) | 75,083 | (1%) | 579,917 | (5%) | - | - | - | - | 11,255,790 |
| 1963 | 18,188,335 | (95%) | 653,826 | (3%) | 78,697 | (<1%) | 106,939 | (1%) | 88,145 | (<1%) | - | - | - | - | 19,115,942 |
| 1964 | 17,305,646 | (93%) | 753,312 | (4%) | 40,038 | (<1%) | 124,566 | (1%) | 356,697 | (2%) | - | - | - | - | 18,580,259 |
| 1965 | 10,061,346 | (92%) | 698,339 | (6%) | 4,402 | (<1%) | 81,127 | (1%) | 33,883 | (<1%) | - | - | - | - | 10,879,097 |
| 1966 | 18,906,895 | (93%) | 790,314 | (4%) | 1,405 | (<1%) | 63,623 | (0%) | 588,680 | (3%) | - | - | - | - | 20,350,917 |
| 1967 | 2,807,759 | (90%) | 205,683 | (7%) | 31,580 | (1%) | 57,372 | (2%) | 6,949 | (<1%) | - | - | - | - | 3,109,343 |
| 1968 | 24,083,473 | (96%) | 607,275 | (2%) | 2,130 | (<1%) | 126,271 | (1%) | 258,722 | (1%) | - | - | - | - | 25,077,871 |
| 1969 | 4,313,575 | (89%) | 381,729 | (8%) | 64,271 | (1%) | 83,727 | (2%) | 29,238 | (1%) | - | - | - | - | 4,872,540 |
| 1970 | 9,589,943 | (90%) | 848,425 | (8%) | 7,841 | (<1%) | 70,072 | (1%) | 102,907 | (1%) | - | - | - | - | 10,619,188 |
| 1971 | 8,514,499 | (87%) | 655,473 | (7%) | 80,797 | (1%) | 104,557 | (1%) | - | - | - | - | - | - | 9,770,369 |
| 1972 | 11,363,527 | (95%) | 444,375 | (4%) | 3,092 | (<1%) | 166,771 | (1%) | 415,043 | (0%) | - | - | - | - | 12,019,457 |
| 1973 | 5,611,363 | (86%) | 654,224 | (10%) | 16,990 | (<1%) | 134,586 | (2%) | 41,692 | (2%) | - | - | - | - | 6,526,216 |
| 1974 | 4,174,551 | (85%) | 338,346 | (7%) | 4,211 | (<1%) | 263,083 | (5%) | 109,053 | (2%) | - | - | - | - | 4,888,591 |
| 1975 | 3,414,308 | (78%) | 350,199 | (8%) | 80,277 | (2%) | 76,844 | (2%) | 108,400 | (10%) | - | - | - | - | 4,358,049 |
| 1976 | 4,290,526 | (77%) | 384,349 | (7%) | 28,493 | (1%) | 194,370 | (3%) | 436,421 | (10%) | - | - | - | - | 5,572,154 |
| 1977 | 11,444,267 | (79%) | 1,428,899 | (10%) | 75,530 | (1%) | 281,009 | (2%) | 581,957 | (9%) | 92,459 | (1%) | - | - | 14,465,149 |
| 1978 | 18,545,091 | (91%) | 812,947 | (4%) | 30,525 | (<1%) | 617,633 | (3%) | 1,235,444 | (2%) | - | - | 1,738 | (<1%) | 20,343,487 |
| 1979 | 8,934,010 | (76%) | 915,976 | (8%) | 151,937 | (1%) | 629,103 | (5%) | 305,998 | (9%) | 29,555 | (<1%) | 9,361 | (<1%) | 11,745,869 |
| 1980 | 11,869,988 | (84%) | 1,107,273 | (8%) | 143,135 | (1%) | 267,174 | (2%) | 1,105,482 | (5%) | - | - | 7,324 | (<1%) | 14,181,047 |
| 1981 | 16,268,867 | (84%) | 1,264,900 | (7%) | 133,756 | (1%) | 579,436 | (3%) | 653,409 | (6%) | 132,744 | (1%) | 5,096 | (<1%) | 19,361,043 |
| 1982 | 22,049,191 | (87%) | 569,486 | (2%) | 9,850 | (<1%) | 503,306 | (2%) | 1,101,642 | (8%) | 7,346 | (<1%) | 4,002 | (<1%) | 25,286,967 |
| 1983 | 33,666,216 | (91%) | 1,209,372 | (3%) | 25,278 | (<1%) | 498,470 | (1%) | 2,017,294 | (4%) | 120,688 | (<1%) | 8,416 | (<1%) | 36,966,967 |
| 1984 | 21,070,213 | (86%) | 1,308,086 | (5%) | 19,870 | (<1%) | 572,567 | (2%) | 1,556,283 | (6%) | 171,356 | (0%) | 8,519 | (<1%) | 24,524,638 |
| 1985 | 47,233,196 | (90%) | 1,832,570 | (4%) | 16,410 | (<1%) | 963,339 | (2%) | 1,424,695 | (3%) | 470,949 | (1%) | 18,105 | (<1%) | 52,357,638 |
| 1986 | 42,788,318 | (96%) | 1,282,418 | (3%) | 7,263 | (<1%) | 181,706 | (<1%) | 1,823,069 | (1%) | 61,178 | (<1%) | 28,325 | (<1%) | 44,687,971 |
| 1987 | 7,018,562 | (65%) | 1,359,526 | (13%) | 12,920 | (<1%) | 486,355 | (4%) | 338,763 | (8%) | 994,190 | (9%) | 70,106 | (1%) | 10,831,931 |
| 1988 | 8,826,732 | (69%) | 687,270 | (5%) | 120,212 | (1%) | 519,367 | (4%) | 890,272 | (20%) | 115,729 | (1%) | 47,580 | (<1%) | 12,867,514 |
| 1989 | 52,070,066 | (89%) | 2,769,875 | (5%) | 57,195 | (<1%) | 1,771,409 | (3%) | 2,550,624 | (3%) | 213,371 | (<1%) | 27,663 | (<1%) | 58,455,765 |
| 1990 | 27,915,150 | (88%) | 1,168,061 | (4%) | 30,840 | (<1%) | 771,665 | (2%) | 1,546,186 | (3%) | 880,750 | (3%) | 29,350 | (<1%) | 31,729,125 |
| 1991 | 58,592,358 | (95%) | 820,409 | (1%) | 3,052 | (<1%) | 427,326 | (1%) | 933,309 | (2%) | 1,112,888 | (2%) | 36,997 | (<1%) | 61,947,786 |
| 1992 | 29,769,079 | (84%) | 1,408,331 | (4%) | 18,526 | (<1%) | 673,805 | (2%) | 954,756 | (4%) | 2,111,411 | (6%) | 27,400 | (<1%) | 35,530,486 |

-continued-

Table 8.–Page 2 of 2.

| Year | Seine | | Driftnet | | Setnet | | Troll | | Annette Is.^a | | Hatchery^b | | Misc.^c | | Total |
|------------------------|--------------|-------|-----------------|------|---------------|-------|--------------|-------|--------------------------------|------|-----------------------------|------|--------------------------|-------|--------------|
| 1993 | 53,414,515 | (95%) | 1,087,670 | (2%) | 9,909 | (<1%) | 902,766 | (2%) | 1,521,934 | (1%) | 332,763 | (1%) | 29,793 | (<1%) | 56,275,447 |
| 1994 | 51,280,083 | (87%) | 1,030,607 | (2%) | 12,324 | (<1%) | 942,783 | (2%) | 498,031 | (3%) | 3,459,436 | (6%) | 51,613 | (<1%) | 58,702,002 |
| 1995 | 43,498,508 | (93%) | 1,337,764 | (3%) | 54,041 | (<1%) | 714,312 | (2%) | 1,925,156 | (2%) | 411,701 | (1%) | 24,024 | (<1%) | 46,908,149 |
| 1996 | 61,649,487 | (96%) | 615,311 | (1%) | 31,295 | (<1%) | 812,899 | (1%) | 867,799 | (1%) | 609,316 | (1%) | 43,607 | (<1%) | 64,171,969 |
| 1997 | 24,790,537 | (84%) | 1,384,200 | (5%) | 93,658 | (<1%) | 545,308 | (2%) | 410,054 | (3%) | 1,695,171 | (6%) | 64,348 | (<1%) | 29,372,518 |
| 1998 | 38,436,679 | (90%) | 1,489,395 | (3%) | 86,066 | (<1%) | 261,093 | (1%) | 799,296 | (2%) | 1,411,511 | (3%) | 51,351 | (<1%) | 42,632,509 |
| 1999 | 71,961,631 | (92%) | 1,274,207 | (2%) | 29,554 | (<1%) | 540,859 | (1%) | 896,414 | (1%) | 3,053,685 | (4%) | 91,929 | (<1%) | 77,870,145 |
| 2000 | 18,156,691 | (85%) | 679,459 | (3%) | 64,349 | (<1%) | 187,364 | (1%) | 918,280 | (9%) | 267,913 | (1%) | 39,377 | (<1%) | 21,390,368 |
| 2001 | 61,951,322 | (92%) | 1,568,742 | (2%) | 32,230 | (<1%) | 258,943 | (0%) | 1,995,215 | (0%) | 1,189,294 | (2%) | 60,128 | (<1%) | 67,055,874 |
| 2002 | 42,137,936 | (93%) | 800,521 | (2%) | 15,590 | (<1%) | 85,749 | (0%) | 1,363,274 | (2%) | 853,059 | (2%) | 72,459 | (<1%) | 45,328,588 |
| 2003 | 49,894,749 | (95%) | 1,354,839 | (3%) | 48,418 | (<1%) | 159,643 | (0%) | 569,512 | (5%) | 420,141 | (1%) | 68,330 | (<1%) | 52,515,632 |
| 2004 | 42,596,809 | (94%) | 944,447 | (2%) | 23,207 | (<1%) | 57,199 | (0%) | 715,774 | (2%) | 974,597 | (2%) | 62,289 | (<1%) | 45,374,322 |
| 2005 | 55,726,935 | (94%) | 1,530,243 | (3%) | 60,436 | (<1%) | 109,584 | (0%) | 598,105 | (1%) | 881,197 | (1%) | 133,145 | (<1%) | 59,039,645 |
| Average 1960–2005 | 26,083,286 | (94%) | 947,452 | (3%) | 42,700 | (<1%) | 371,653 | (<1%) | 787,916 | (1%) | 817,570 | (1%) | 40,085 | (<1%) | 28,762,778 |
| Max. harvest (year) | 71,961,631 | 1999 | 2,769,875 | 1989 | 151,937 | 1979 | 1,771,409 | 1989 | 2,550,624 | 1989 | 3,459,436 | 1994 | 133,145 | 2005 | |
| Min. harvest (year) | 2,572,279 | 1960 | 55,984 | 1960 | 1,405 | 1966 | 19,303 | 1961 | 6,949 | 1967 | 7,346 | 1982 | 1,738 | 1978 | |
| 2006 | 10,090,260 | (87%) | 744,048 | (6%) | 88,864 | (1%) | 60,323 | (1%) | 263,420 | (2%) | 360,731 | (3%) | 43,462 | (<1%) | 11,651,108 |

^a Data from 1960 to 1970, 1972 to 2006 used in calculations.

^b Includes salmon harvested and sold in private, state and federal hatchery's fisheries and carcass sales. Data from 1981 to 2006 used in calculations.

^c Includes salmon that were confiscated, harvested in sportfish derbies, or commercial test fisheries, and sold. Data from 1978 to 2006 used in calculations.

Table 9.—Southeast Alaska region annual commercial total chum salmon harvest by harvest type, in numbers and percent, from 1960 to 2006.

| Year | Seine | | Driftnet | | Setnet | | Troll | | Annette Is. | | Hatchery ^a | | Misc. ^b | | Total |
|------|-----------|-------|-----------|-------|--------|-------|---------|-------|-------------|-------|-----------------------|-------|--------------------|-------|-----------|
| 1960 | 726,017 | (78%) | 199,887 | (21%) | 277 | (<1%) | 2,453 | (<1%) | 3,796 | (<1%) | - | - | - | - | 932,430 |
| 1961 | 2,172,066 | (89%) | 251,900 | (10%) | 11,038 | (<1%) | 2,679 | (<1%) | 8,648 | (<1%) | - | - | - | - | 2,446,331 |
| 1962 | 1,593,386 | (87%) | 233,421 | (13%) | 616 | (<1%) | 2,676 | (<1%) | 6,911 | (<1%) | - | - | - | - | 1,837,010 |
| 1963 | 1,186,182 | (81%) | 265,251 | (18%) | 10,294 | (1%) | 6,230 | (<1%) | 2,282 | (<1%) | - | - | - | - | 1,470,239 |
| 1964 | 1,661,431 | (86%) | 250,045 | (13%) | 1,481 | (<1%) | 2,576 | (<1%) | 12,301 | (1%) | - | - | - | - | 1,927,834 |
| 1965 | 1,185,569 | (81%) | 269,986 | (18%) | 4,094 | (<1%) | 6,359 | (<1%) | 248 | (<1%) | - | - | - | - | 1,466,256 |
| 1966 | 2,846,425 | (88%) | 365,070 | (11%) | 3,396 | (<1%) | 5,203 | (<1%) | 7,308 | (<1%) | - | - | - | - | 3,227,402 |
| 1967 | 1,545,057 | (86%) | 250,050 | (14%) | 4,459 | (<1%) | 7,051 | (<1%) | 323 | (<1%) | - | - | - | - | 1,806,940 |
| 1968 | 2,251,556 | (85%) | 363,713 | (14%) | 13,866 | (1%) | 2,791 | (<1%) | 4,281 | (<1%) | - | - | - | - | 2,636,207 |
| 1969 | 332,514 | (59%) | 208,918 | (37%) | 17,203 | (3%) | 1,708 | (<1%) | 258 | (<1%) | - | - | - | - | 560,601 |
| 1970 | 1,919,378 | (79%) | 494,294 | (20%) | 10,147 | (<1%) | 3,235 | (<1%) | 1,387 | (<1%) | - | - | - | - | 2,428,441 |
| 1971 | 1,495,755 | (77%) | 435,924 | (22%) | 6,306 | (<1%) | 7,602 | (<1%) | 5,290 | (<1%) | - | - | - | - | 1,950,877 |
| 1972 | 2,168,632 | (74%) | 744,933 | (25%) | 12,887 | (<1%) | 11,634 | (<1%) | 226 | (<1%) | - | - | - | - | 2,938,312 |
| 1973 | 1,221,201 | (69%) | 524,199 | (30%) | 8,995 | (<1%) | 10,460 | (1%) | 375 | (<1%) | - | - | - | - | 1,765,230 |
| 1974 | 988,297 | (59%) | 666,313 | (40%) | 4,185 | (<1%) | 13,818 | (1%) | 1,306 | (<1%) | - | - | - | - | 1,673,919 |
| 1975 | 381,540 | (55%) | 298,296 | (43%) | 3,761 | (1%) | 2,784 | (<1%) | 3,810 | (<1%) | - | - | - | - | 690,191 |
| 1976 | 511,827 | (49%) | 503,230 | (48%) | 7,462 | (1%) | 4,251 | (<1%) | 15,193 | (<1%) | - | - | - | - | 1,041,963 |
| 1977 | 336,408 | (45%) | 364,164 | (49%) | 8,623 | (1%) | 11,621 | (2%) | 25,605 | (3%) | - | - | - | - | 746,421 |
| 1978 | 521,880 | (61%) | 288,959 | (34%) | 6,181 | (1%) | 26,193 | (3%) | 16,437 | (2%) | - | - | 145 | (<1%) | 859,795 |
| 1979 | 438,175 | (47%) | 401,161 | (43%) | 7,399 | (1%) | 24,661 | (3%) | 57,064 | (6%) | - | - | 437 | (<1%) | 928,897 |
| 1980 | 1,002,478 | (62%) | 548,674 | (34%) | 20,151 | (1%) | 12,168 | (1%) | 30,312 | (2%) | 752 | (<1%) | 1,651 | (<1%) | 1,616,186 |
| 1981 | 517,002 | (61%) | 270,231 | (32%) | 10,655 | (1%) | 8,680 | (1%) | 40,300 | (5%) | 1 | (<1%) | 359 | (<1%) | 849,271 |
| 1982 | 828,476 | (63%) | 448,362 | (34%) | 6,320 | (<1%) | 5,639 | (<1%) | 24,237 | (2%) | 778 | (<1%) | 345 | (<1%) | 1,313,394 |
| 1983 | 579,168 | (47%) | 516,639 | (42%) | 11,195 | (1%) | 20,308 | (2%) | 104,949 | (9%) | 18,269 | (<1%) | 344 | (<1%) | 1,233,382 |
| 1984 | 2,434,053 | (67%) | 1,030,527 | (28%) | 32,230 | (1%) | 28,053 | (1%) | 86,916 | (2%) | 453,204 | (1%) | 309 | (<1%) | 3,630,357 |
| 1985 | 1,849,523 | (56%) | 1,134,446 | (34%) | 12,468 | (<1%) | 52,767 | (2%) | 112,679 | (3%) | 133,051 | (4%) | 6,227 | (<1%) | 3,301,161 |
| 1986 | 2,198,907 | (66%) | 815,813 | (24%) | 16,616 | (<1%) | 51,390 | (2%) | 109,029 | (3%) | 161,792 | (5%) | 1,794 | (<1%) | 3,355,341 |
| 1987 | 1,234,558 | (45%) | 747,357 | (27%) | 14,555 | (1%) | 12,846 | (<1%) | 127,711 | (5%) | 594,563 | (22%) | 8,756 | (<1%) | 2,740,346 |
| 1988 | 1,625,841 | (47%) | 1,144,450 | (33%) | 29,256 | (1%) | 88,264 | (3%) | 65,415 | (2%) | 512,809 | (15%) | 7,263 | (<1%) | 3,473,298 |
| 1989 | 1,079,555 | (54%) | 542,846 | (27%) | 16,259 | (1%) | 68,986 | (3%) | 84,519 | (4%) | 192,527 | (10%) | 3,302 | (<1%) | 1,987,994 |
| 1990 | 1,062,522 | (48%) | 616,226 | (28%) | 5,825 | (<1%) | 62,817 | (3%) | 82,102 | (4%) | 381,645 | (17%) | 4,340 | (<1%) | 2,215,477 |
| 1991 | 2,125,308 | (63%) | 707,277 | (21%) | 2,984 | (<1%) | 28,437 | (1%) | 102,290 | (3%) | 376,313 | (11%) | 13,621 | (<1%) | 3,356,230 |
| 1992 | 3,193,433 | (65%) | 845,176 | (17%) | 7,604 | (<1%) | 85,030 | (2%) | 75,489 | (2%) | 695,451 | (14%) | 7,532 | (<1%) | 4,909,715 |
| 1993 | 4,606,463 | (58%) | 1,401,186 | (18%) | 4,065 | (<1%) | 525,160 | (7%) | 136,341 | (2%) | 1,256,796 | (16%) | 10,711 | (<1%) | 7,940,722 |

-continued-

Table 9.–Page 2 of 2.

| Year | Seine | | Driftnet | | Setnet | | Troll | | Annette Is. | | Hatchery^a | | Misc.^b | | Total |
|---------------------|--------------|-------|-----------------|-------|---------------|-------|--------------|------|--------------------|-------|-----------------------------|-------|--------------------------|-------|--------------|
| 1994 | 6,376,472 | (61%) | 1,823,497 | (18%) | 4,229 | (<1%) | 330,375 | (3%) | 133,380 | (1%) | 1,717,481 | (17%) | 14,688 | (<1%) | 10,400,122 |
| 1995 | 6,600,529 | (59%) | 2,478,672 | (22%) | 2,585 | (<1%) | 277,453 | (2%) | 126,294 | (1%) | 1,707,559 | (15%) | 25,515 | (<1%) | 11,218,607 |
| 1996 | 8,918,577 | (55%) | 2,033,267 | (13%) | 1,803 | (<1%) | 406,240 | (3%) | 166,573 | (1%) | 4,536,244 | (28%) | 20,506 | (<1%) | 16,083,210 |
| 1997 | 5,863,690 | (50%) | 1,689,474 | (14%) | 808 | (<1%) | 312,042 | (3%) | 214,681 | (2%) | 3,736,406 | (32%) | 20,233 | (<1%) | 11,837,334 |
| 1998 | 9,406,979 | (60%) | 1,923,764 | (12%) | 1,351 | (<1%) | 117,642 | (1%) | 100,331 | (1%) | 4,004,257 | (26%) | 26,611 | (<1%) | 15,580,935 |
| 1999 | 8,944,189 | (60%) | 2,166,218 | (14%) | 928 | (<1%) | 74,704 | (0%) | 164,969 | (1%) | 3,611,928 | (24%) | 32,639 | (<1%) | 14,995,575 |
| 2000 | 8,306,381 | (52%) | 2,559,879 | (16%) | 1,185 | (<1%) | 478,144 | (3%) | 164,969 | (1%) | 4,353,396 | (27%) | 45,351 | (<1%) | 15,909,305 |
| 2001 | 4,436,178 | (51%) | 1,564,210 | (18%) | 406 | (<1%) | 467,830 | (5%) | 126,455 | (1%) | 2,125,390 | (24%) | 21,269 | (<1%) | 8,741,738 |
| 2002 | 3,110,189 | (42%) | 1,410,100 | (19%) | 204 | (<1%) | 117,528 | (2%) | 83,438 | (1%) | 2,720,006 | (36%) | 17,163 | (<1%) | 7,458,628 |
| 2003 | 4,336,128 | (39%) | 1,528,070 | (14%) | 542 | (<1%) | 286,410 | (3%) | 56,049 | (1%) | 4,889,605 | (44%) | 18,153 | (<1%) | 11,114,957 |
| 2004 | 5,684,447 | (50%) | 1,830,083 | (16%) | 1,555 | (<1%) | 171,182 | (2%) | 97,664 | (1%) | 3,507,871 | (31%) | 30,852 | (<1%) | 11,323,654 |
| 2005 | 2,814,511 | (44%) | 1,511,570 | (23%) | 525 | (<1%) | 174,596 | (3%) | 58,487 | (1%) | 1,870,873 | (29%) | 6,496 | (<1%) | 6,437,058 |
| Average 1960–2005 | 2,709,106 | (58%) | 884,081 | (19%) | 7,586 | (<1%) | 96,102 | (2%) | 61,927 | (1%) | 1,675,345 | (36%) | 12,379 | (<1%) | 4,703,463 |
| Max. harvest (year) | 9,406,979 | 1998 | 2,559,879 | 2000 | 32,230 | 1984 | 525,160 | 1993 | 214,681 | 1997 | 4,889,605 | 2003 | 45,351 | 2000 | |
| Min. harvest (year) | 332,514 | 1969 | 199,887 | 1960 | 204 | 2002 | 1,708 | 1969 | 226 | 1,972 | 1 | 1981 | 145 | 1978 | |
| 2006 | 5,614,232 | (42%) | 3,126,629 | (23%) | 1,225 | (<1%) | 153,545 | (1%) | 160,182 | (1%) | 4,280,579 | (32%) | 25,918 | (<1%) | 13,362,310 |

^a Includes salmon harvested and sold in private, state and federal hatchery's fisheries and carcass sales. Data from 1980 to 2006 used in calculations.

^b Includes salmon that were confiscated, harvested in sportfish derbies, or commercial test fisheries, and sold. Data from 1978 to 2006 used in calculations.

Table 10.—Southeast Alaska region salmon exvessel value, harvest, average weight, and price paid per pound by gear and species, 2006.

| | Chinook | Sockeye | Coho | Pink | Chum | Total |
|--------------------------------|--|------------------|-------------------|-------------------|-------------------|-------------------|
| Fishery | Exvessel Value in Dollars^a | | | | | |
| Purse Seine ^b | 484,671 | 2,397,975 | 277,562 | 4,859,639 | 16,025,751 | 24,045,598 |
| Drift Gillnet | 2,380,420 | 4,147,093 | 2,284,633 | 379,667 | 10,328,683 | 19,520,495 |
| Setnet | 34,825 | 969,252 | 633,159 | 54,429 | 1,067 | 1,692,732 |
| Troll ^c | 15,576,837 | 51,920 | 15,374,282 | 40,861 | 566,128 | 31,610,029 |
| Annette Isl. Res. ^d | 17,378 | 130,423 | 271,742 | 174,575 | 579,694 | 1,173,812 |
| Hatchery Controlled | 200,936 | 531,766 | 1,215,415 | 352,473 | 10,715,095 | 13,015,685 |
| Miscellaneous ^e | 56,468 | 10,849 | 31,313 | 16,303 | 64,068 | 179,001 |
| Total | 18,751,535 | 8,239,278 | 20,088,106 | 5,877,947 | 38,280,485 | 91,237,351 |
| | Salmon Harvest Numbers | | | | | |
| Purse Seine ^b | 25,970 | 413,938 | 109,498 | 10,090,260 | 5,614,232 | 16,253,898 |
| Drift Gillnet | 47,254 | 625,667 | 252,448 | 744,048 | 3,126,629 | 4,796,046 |
| Setnet | 1,208 | 138,510 | 86,085 | 88,864 | 1,225 | 315,892 |
| Troll ^c | 282,258 | 8,084 | 1,362,915 | 60,323 | 153,545 | 1,867,125 |
| Annette Isl. Res. ^d | 806 | 20,908 | 30,287 | 263,420 | 160,182 | 475,603 |
| Hatchery Controlled | 12,479 | 124,109 | 240,017 | 360,731 | 4,280,579 | 5,017,915 |
| Miscellaneous ^e | 1,403 | 2,280 | 4,579 | 43,462 | 25,918 | 77,642 |
| Total | 371,378 | 1,333,496 | 2,085,829 | 11,651,108 | 13,362,310 | 28,804,121 |
| | Average Weight in Pounds^f | | | | | |
| Purse Seine ^b | 15.7 | 5.8 | 6.4 | 4.0 | 9.4 | |
| Drift Gillnet | 15.5 | 5.8 | 8.6 | 4.2 | 9.9 | |
| Setnet | 14.6 | 5.6 | 9.2 | 4.2 | 8.4 | |
| Troll ^c | 14.8 | 5.0 | 6.4 | 4.0 | 9.5 | |
| Annette Isl. Res. ^d | 16.5 | 6.1 | 7.9 | 5.0 | 10.7 | |
| Hatchery Controlled | 17.3 | 4.8 | 6.7 | 4.6 | 7.7 | |
| Miscellaneous ^e | 15.6 | 5.3 | 7.4 | 3.7 | 8.8 | |
| | Average Exvessel Price Paid Per Pound^g | | | | | |
| Purse Seine ^b | 1.19 | 1.00 | 0.40 | 0.12 | 0.30 | |
| Drift Gillnet | 2.65 | 1.14 | 1.05 | 0.12 | 0.33 | |
| Setnet | 1.97 | 1.25 | 0.80 | 0.15 | 0.10 | |
| Troll ^c | 3.73 | 1.28 | 1.76 | 0.17 | 0.39 | |
| Annette Isl. Res. ^d | 1.31 | 1.02 | 1.14 | 0.13 | 0.34 | |
| Hatchery Controlled | 0.93 | 0.89 | 0.76 | 0.21 | 0.33 | |
| Miscellaneous ^e | 1.88 | 0.90 | 0.92 | 0.10 | 0.28 | |

^a (number caught) x (average weight) × (average exvessel price)

^b Includes jack Chinook salmon < 21".

^c Harvest accounting period for Chinook salmon is calendar year.

^d Annette Island Reserve includes purse seine, drift gillnet, hand and power troll, and trap gear types.

^e Includes salmon that were confiscated, harvested in sportfish derbies, or commercial test fisheries, and sold.
^f (total pounds for all fish tickets (where pounds > 0)) / (total number fish for all tickets (where number > 0)).

^g (total value for all fish tickets (where value > 0)) / (total pounds for all fish tickets (where pounds > 0)).

Table 11.—Southeast Alaska region total salmon exvessel values (in dollars), by species, from 1985 to 2006.

| Year | Chinook ^a | Sockeye | Coho | Pink | Chum | Total |
|---|----------------------|--------------|--------------|---------------|--------------|---------------|
| Exvessel Value calculated using 2005 Consumer Price Index (mid-year average) | | | | | | |
| 1985 | \$15,726,389 | \$29,241,400 | \$39,026,348 | \$72,895,191 | \$25,294,576 | \$182,183,906 |
| 1986 | \$13,587,805 | \$24,593,478 | \$42,862,239 | \$58,826,347 | \$21,630,860 | \$161,500,728 |
| 1987 | \$21,497,888 | \$28,435,142 | \$29,495,624 | \$21,190,362 | \$25,061,656 | \$125,680,673 |
| 1988 | \$26,140,978 | \$40,431,459 | \$36,497,202 | \$42,556,756 | \$53,849,964 | \$199,476,360 |
| 1989 | \$15,179,477 | \$35,578,522 | \$20,530,409 | \$123,235,575 | \$14,083,270 | \$208,607,253 |
| 1990 | \$16,345,415 | \$31,861,850 | \$33,351,317 | \$48,980,930 | \$14,900,103 | \$145,439,615 |
| 1991 | \$15,382,064 | \$15,828,840 | \$28,694,650 | \$32,563,495 | \$13,115,687 | \$105,584,736 |
| 1992 | \$11,258,745 | \$36,377,618 | \$40,704,523 | \$25,257,033 | \$24,978,652 | \$138,576,571 |
| 1993 | \$9,821,327 | \$21,967,567 | \$27,613,018 | \$33,295,335 | \$32,206,062 | \$124,903,306 |
| 1994 | \$8,823,484 | \$20,814,856 | \$40,389,458 | \$39,516,181 | \$27,449,437 | \$136,993,415 |
| 1995 | \$6,564,521 | \$15,806,961 | \$21,549,406 | \$35,543,162 | \$38,140,599 | \$117,604,650 |
| 1996 | \$5,784,286 | \$24,254,216 | \$18,040,900 | \$17,463,842 | \$24,965,625 | \$90,508,870 |
| 1997 | \$9,342,223 | \$17,611,792 | \$14,352,198 | \$15,390,074 | \$30,781,200 | \$87,477,486 |
| 1998 | \$5,403,129 | \$10,048,152 | \$15,516,765 | \$22,552,349 | \$21,633,764 | \$75,154,159 |
| 1999 | \$5,051,891 | \$9,336,171 | \$21,661,550 | \$32,678,305 | \$22,506,545 | \$91,234,462 |
| 2000 | \$7,694,574 | \$8,355,449 | \$11,384,406 | \$9,855,426 | \$48,957,266 | \$86,247,121 |
| 2001 | \$6,779,197 | \$11,235,030 | \$13,326,102 | \$31,059,103 | \$35,853,120 | \$98,252,551 |
| 2002 | \$6,939,388 | \$3,857,810 | \$11,795,090 | \$10,873,537 | \$16,898,853 | \$50,364,679 |
| 2003 | \$8,498,833 | \$8,448,126 | \$12,281,523 | \$12,166,343 | \$15,938,520 | \$57,333,345 |
| 2004 | \$15,389,436 | \$10,716,882 | \$19,949,672 | \$12,304,790 | \$20,620,341 | \$78,981,121 |
| 2005 | \$14,334,966 | \$9,085,873 | \$9,905,114 | \$19,796,100 | \$14,916,241 | \$68,038,294 |
| 2006 | \$18,751,535 | \$8,239,278 | \$20,088,106 | \$5,877,947 | \$38,280,485 | \$91,237,351 |

(historical exvessel \$\$ = past\$ (current CPI / past CPI))

| Exvessel Value in Harvest Year Dollars | | | | | | |
|---|--------------|--------------|--------------|--------------|--------------|---------------|
| 1985 | \$8,393,648 | \$15,607,017 | \$20,829,539 | \$38,906,362 | \$13,500,478 | \$97,237,045 |
| 1986 | \$7,387,021 | \$13,370,264 | \$23,302,090 | \$31,980,990 | \$11,759,634 | \$87,799,999 |
| 1987 | \$12,113,889 | \$16,022,977 | \$16,620,550 | \$11,940,601 | \$14,122,044 | \$70,820,062 |
| 1988 | \$15,339,671 | \$23,725,405 | \$21,416,761 | \$24,972,541 | \$31,599,458 | \$117,053,836 |
| 1989 | \$9,336,583 | \$21,883,615 | \$12,627,831 | \$75,799,659 | \$8,662,329 | \$128,310,017 |
| 1990 | \$10,596,953 | \$20,656,467 | \$21,622,109 | \$31,754,998 | \$9,659,938 | \$94,290,465 |
| 1991 | \$10,392,049 | \$10,693,889 | \$19,385,969 | \$21,999,742 | \$8,860,896 | \$71,332,545 |
| 1992 | \$7,835,327 | \$25,316,368 | \$28,327,602 | \$17,577,191 | \$17,383,457 | \$96,439,945 |
| 1993 | \$7,039,592 | \$15,745,602 | \$19,792,069 | \$23,864,960 | \$23,084,206 | \$89,526,427 |
| 1994 | \$6,486,311 | \$15,301,397 | \$29,691,060 | \$29,049,097 | \$20,178,604 | \$100,706,469 |
| 1995 | \$4,962,465 | \$11,949,310 | \$16,290,325 | \$26,868,938 | \$28,832,477 | \$88,903,515 |
| 1996 | \$4,501,758 | \$18,876,421 | \$14,040,760 | \$13,591,651 | \$19,430,092 | \$70,440,683 |
| 1997 | \$7,437,633 | \$14,021,293 | \$11,426,229 | \$12,252,514 | \$24,505,866 | \$69,643,534 |
| 1998 | \$4,368,601 | \$8,124,250 | \$12,545,797 | \$18,234,290 | \$17,491,585 | \$60,764,523 |
| 1999 | \$4,174,827 | \$7,715,308 | \$17,900,864 | \$27,004,988 | \$18,599,159 | \$75,395,146 |
| 2000 | \$6,572,449 | \$7,136,946 | \$9,724,180 | \$8,418,176 | \$41,817,665 | \$73,669,416 |
| 2001 | \$5,955,336 | \$9,869,662 | \$11,706,610 | \$27,284,559 | \$31,495,970 | \$86,312,137 |
| 2002 | \$6,192,440 | \$3,442,560 | \$10,525,480 | \$9,703,122 | \$15,079,879 | \$44,943,481 |
| 2003 | \$7,756,871 | \$7,710,591 | \$11,209,327 | \$11,104,202 | \$14,547,062 | \$52,328,053 |
| 2004 | \$14,419,963 | \$10,041,761 | \$18,692,922 | \$11,529,637 | \$19,321,341 | \$74,005,624 |
| 2005 | \$13,886,998 | \$8,801,939 | \$9,595,579 | \$19,177,472 | \$14,450,108 | \$65,912,097 |
| 2006 | \$18,751,535 | \$8,239,278 | \$20,088,106 | \$5,877,947 | \$38,280,485 | \$91,237,351 |

^a Includes Chinook salmon < 21"

Table 12.—Southeast Alaska, excluding Yakutat, reported subsistence and personal use salmon harvest, by species, and number of permits issued, from 1961 to 2006.

| Year | No. Permits Issued | No. Permits Returned | No. Permits Fished | Number of Salmon Harvested | | | | | |
|-------------------|--------------------|----------------------|--------------------|----------------------------|---------|-------|--------|-------|--------|
| | | | | Chinook | Sockeye | Coho | Pink | Chum | Total |
| 1961 | - | - | 554 | - | - | - | - | - | 14,826 |
| 1962 | - | - | 309 | - | - | - | - | - | 7,067 |
| 1963 | - | - | 696 | - | - | - | - | - | 6,514 |
| 1964 | - | - | 642 | - | - | - | - | - | 9,525 |
| 1965 | - | - | 665 | - | - | - | - | - | 10,303 |
| 1966 | - | - | 2,372 | - | - | - | - | - | 15,384 |
| 1967 | - | - | 632 | 6 | 7,238 | 489 | 482 | 4,059 | 12,274 |
| 1968 | - | - | 815 | 62 | 8,382 | 624 | 1,328 | 4,260 | 14,656 |
| 1969 | - | - | 774 | 9 | 6,305 | 70 | 1,771 | 3,180 | 11,335 |
| 1970 | - | - | 788 | 13 | 10,751 | 0 | 2,246 | 2,415 | 15,425 |
| 1971 | - | - | 1,067 | 0 | 9,598 | 0 | 3,648 | 6,123 | 19,369 |
| 1972 | - | - | 936 | 10 | 9,098 | 0 | 1,253 | 3,970 | 14,331 |
| 1973 | - | - | 1,031 | 6 | 7,584 | 63 | 2,675 | 6,799 | 17,127 |
| 1974 | - | - | 1,042 | 6 | 7,822 | 61 | 2,690 | 6,819 | 17,398 |
| 1975 | - | - | 944 | 0 | 9,454 | 96 | 11,428 | 5,277 | 26,255 |
| 1976 | - | - | 1,166 | 0 | 9,625 | 9 | 1,590 | 3,594 | 14,818 |
| 1977 | - | - | 888 | 0 | 6,484 | 68 | 1,963 | 3,007 | 11,522 |
| 1978 | - | - | 1,490 | 0 | 10,662 | 57 | 4,832 | 3,150 | 18,701 |
| 1979 | - | - | 1,611 | 0 | 17,078 | 60 | 5,585 | 4,001 | 26,724 |
| 1980 | - | - | 3,612 | 40 | 21,586 | 10 | 1,439 | 3,741 | 26,816 |
| 1981 | - | - | 2,751 | 1 | 20,268 | 129 | 6,065 | 4,512 | 30,975 |
| 1982 | - | - | 2,956 | 8 | 32,117 | 99 | 4,239 | 3,717 | 40,180 |
| 1983 | - | - | 2,763 | 38 | 15,877 | 211 | 1,859 | 2,559 | 20,544 |
| 1984 | - | - | 2,996 | 55 | 19,204 | 721 | 2,560 | 2,502 | 25,042 |
| 1985 ^a | 3,012 | - | 1,273 | 19 | 20,006 | 360 | 2,136 | 2,951 | 25,472 |
| 1986 | 2,777 | - | 1,353 | 29 | 21,974 | 277 | 971 | 2,840 | 26,091 |
| 1987 | 2,678 | - | 1,322 | 34 | 25,430 | 117 | 1,491 | 3,881 | 30,953 |
| 1988 | 2,821 | - | 998 | 94 | 20,011 | 97 | 1,145 | 3,013 | 24,360 |
| 1989 | 3,102 | - | 1,373 | 221 | 29,237 | 513 | 3,472 | 3,086 | 36,529 |
| 1990 | 3,139 | - | 1,428 | 163 | 33,089 | 806 | 3,715 | 3,436 | 41,209 |
| 1991 | 3,447 | - | 1,495 | 201 | 37,419 | 655 | 1,829 | 3,358 | 43,462 |
| 1992 | 3,331 | - | 1,691 | 65 | 47,630 | 1,294 | 2,905 | 3,189 | 55,083 |
| 1993 | 3,731 | - | 1,939 | 88 | 51,099 | 1,252 | 2,147 | 2,582 | 57,168 |
| 1994 | 3,933 | - | 2,057 | 100 | 52,491 | 1,438 | 3,607 | 4,109 | 61,745 |
| 1995 | 3,837 | - | 1,837 | 131 | 41,643 | 1,693 | 3,170 | 3,340 | 49,977 |
| 1996 ^b | 4,047 | 3,225 | 1,995 | 144 | 51,288 | 1,123 | 2,341 | 4,104 | 59,000 |
| 1997 | 4,082 | 3,406 | 2,031 | 64 | 45,333 | 946 | 3,268 | 3,611 | 53,222 |
| 1998 | 4,131 | 3,511 | 2,185 | 152 | 49,709 | 1,254 | 3,161 | 5,042 | 59,318 |

-continued-

Table 12.–Page 2 of 2.

| Year | Number of Salmon Harvested | | | | | | | | |
|----------------------|----------------------------|----------------------|--------------------|---------|---------|-------|-------|-------|--------|
| | No. Permits Issued | No. Permits Returned | No. Permits Fished | Chinook | Sockeye | Coho | Pink | Chum | Total |
| 1999 | 4,186 | 3,591 | 2,173 | 372 | 45,604 | 789 | 2,736 | 4,356 | 53,857 |
| 2000 | 3,633 | 3,067 | 1,837 | 292 | 41,780 | 745 | 2,055 | 2,954 | 47,826 |
| 2001 | 3,470 | 3,000 | 1,775 | 386 | 44,087 | 1,071 | 3,659 | 3,277 | 52,480 |
| 2002 | 3,202 | 2,661 | 1,672 | 428 | 44,240 | 1,245 | 2,620 | 1,833 | 50,366 |
| 2003 | 3,467 | 2,844 | 1,882 | 238 | 50,105 | 1,222 | 3,083 | 3,205 | 57,853 |
| 2004 | 3,565 | 3,183 | 1,991 | 349 | 50,030 | 1,307 | 2,782 | 2,720 | 57,188 |
| 2005 ^c | 3,194 | 2,688 | 1,479 | 189 | 31,182 | 1,183 | 4,359 | 1,625 | 38,538 |
| Average 1961–2005 | - | - | 1,540 | 103 | 27,244 | 568 | 2,931 | 3,646 | 31,307 |
| Average 1995–2005 | 3,698 | 3,118 | 1,902 | 261 | 45,336 | 1,089 | 3,006 | 3,273 | 52,965 |
| 2006 | 3,273 | 2,515 | 1,573 | 205 | 40,276 | 874 | 2,766 | 1,436 | 45,557 |

^a Prior to 1985 the numbers of permits issued and returned were not recorded.

^b Prior to 1996 the numbers of permits issued and returned are not reliable due to data entry omissions (if a permit had zero harvest it was not recorded as a returned permit).

^c Preliminary data as of 3/14/07. Permits will continue to be returned and entered through next season.

Table 13.—Yakutat Area reported subsistence salmon harvest, by species, and number of permits issued, from 1975 to 2006.

| Year | No. Permits | | Number of Salmon Harvested | | | | | | Total |
|----------------------|-------------|----------|----------------------------|---------|---------|-------|------|------|-------|
| | Issued | Returned | Fished | Chinook | Sockeye | Coho | Pink | Chum | |
| 1975 | - | - | 18 | 27 | 510 | 40 | - | - | 577 |
| 1976 | - | - | 35 | 83 | 1,060 | 55 | - | - | 1,198 |
| 1977 | - | - | 45 | 92 | 1,242 | 781 | - | - | 2,115 |
| 1978 | - | - | 127 | 59 | 870 | 912 | - | - | 1,841 |
| 1979 | - | - | 73 | 238 | 525 | 720 | - | - | 1,483 |
| 1980 | - | - | 68 | 284 | 961 | 982 | - | - | 2,227 |
| 1981 | - | - | 88 | 167 | 952 | 1,701 | - | - | 2,820 |
| 1982 | - | - | 71 | 198 | 1,645 | 2,180 | - | - | 4,023 |
| 1983 | - | - | 0 | 188 | 1,175 | 360 | - | - | 1,723 |
| 1984 | - | - | 88 | 233 | 890 | 572 | - | - | 1,695 |
| 1985 | - | - | 46 | 230 | 1,003 | 59 | - | - | 1,292 |
| 1986 | - | - | 170 | 301 | 2,357 | 586 | - | - | 3,244 |
| 1987 | - | - | 120 | 372 | 3,598 | 883 | - | - | 4,853 |
| 1988 | - | - | 111 | 196 | 2,119 | 176 | 46 | 2 | 2,539 |
| 1989 ^a | 153 | - | 87 | 359 | 3,494 | 880 | 221 | 51 | 5,005 |
| 1990 | 128 | - | 74 | 361 | 3,332 | 809 | 35 | 2 | 4,539 |
| 1991 | 134 | - | 27 | 61 | 896 | 213 | 1 | 0 | 1,171 |
| 1992 | 139 | - | 109 | 549 | 5,469 | 3,645 | 37 | 12 | 9,712 |
| 1993 | 130 | - | 105 | 449 | 5,073 | 2,263 | 6 | 1 | 7,792 |
| 1994 | 137 | - | 101 | 700 | 4,586 | 2,169 | 32 | 102 | 7,589 |
| 1995 | 138 | - | 94 | 1,070 | 3,419 | 2,007 | 45 | 21 | 6,562 |
| 1996 ^b | 124 | 116 | 89 | 934 | 3,666 | 1,359 | 96 | 31 | 6,086 |
| 1997 | 129 | 123 | 89 | 675 | 3,428 | 1,368 | 86 | 6 | 5,563 |
| 1998 | 141 | 140 | 111 | 899 | 3,951 | 1,589 | 200 | 0 | 6,639 |
| 1999 | 122 | 118 | 89 | 938 | 3,905 | 959 | 107 | 0 | 5,909 |
| 2000 | 138 | 130 | 109 | 963 | 4,250 | 1,163 | 149 | 27 | 6,552 |
| 2001 | 139 | 120 | 102 | 880 | 4,119 | 1,626 | 91 | 10 | 6,726 |
| 2002 | 124 | 123 | 98 | 1,395 | 4,334 | 1,836 | 187 | 13 | 7,765 |
| 2003 | 128 | 112 | 87 | 1,103 | 3,488 | 1,281 | 137 | 1 | 6,010 |
| 2004 | 138 | 108 | 87 | 936 | 4,078 | 801 | 45 | 26 | 6,219 |
| 2005 | 115 | 95 | 65 | 540 | 2,559 | 739 | 15 | 3 | 4,131 |
| Average 1975–2005 | - | - | 83 | 499 | 2,676 | 1,120 | 85 | 17 | 4,374 |
| 2006 ^c | 124 | 50 | 42 | 257 | 1,556 | 151 | 28 | 0 | 2,208 |

^a Prior to 1989 the numbers of permits issued and returned were not recorded.

^b Prior to 1996 the numbers of permits issued and returned are not reliable due to data entry omissions (if a permit had zero harvest it was not recorded as a returned permit).

^c Preliminary data as of 3/14/07. Permits will continue to be returned and entered through next season.



Figure 1.—The Southeast Alaska/Yakutat Region (Region I) consists of Alaska waters between Cape Suckling on the north and Dixon Entrance on the south.




Figure 2.—Region I is divided into two salmon net registration areas. Registration Area A, the Southeast Alaska area, extends from Dixon Entrance to Cape Fairweather. The Southeast Alaska area is divided into 17 regulatory districts, Districts 1 through 16 and the Dixon Entrance District.




Figure 3.—Some Registration Area A districts are further divided into regulatory sections. Registration Area D, the Yakutat area, extends from Cape Fairweather to Cape Suckling. The Yakutat area is further divided into the Yakutat District, extending from Cape Fairweather to Icy Cape, and the Yakataga District extending westward from Icy Cape to Cape Suckling.




Figure 4.—Region I (Southeast Alaska and Yakutat) historical salmon harvest and recent 10-year average harvest, from 1878 to 2006.




Figure 5.—Region I (Southeast Alaska and Yakutat) historical salmon harvest by species and season.




Figure 6.—Exvessel value (in 2004-adjusted dollars) by species and season, and number of salmon harvested by season.




Figure 7.—Number of fish harvested, by species, in the Southeast Alaska, excluding Yakutat, subsistence/personal use fishery, 1985 to 2005.




Figure 8.—Number of fish harvested, by species, in the Yakutat subsistence/personal use fishery, 1985 to 2005.

Note: Very preliminary data for 2006 since only 40% of permits have been reported.